TABLE SIXTH,

SHOWING THE NUMBER OF PROCLAMATIONS OF MARRIAGES, AS ENGROSSED IN THE REGISTERS OF THE CITY AND SUBURBS;

DISTINGUISHING

1ST, THOSE CASES IN WHICH BOTH PARTIES RESIDED IN THE SAME PARISH;

2D, THOSE IN WHICH THE PARTIES RESIDED IN DIFFERENT PARISHES; AND

3D, THOSE IN WHICH THE WARRANTS WERE NOT CALLED FOR.

MONTHS, 1842.	1st.	Irregular Marriages.	2d.								Total Males.	Total Females.	Total Individuals.	3d.
	Both parties residing in the same parish.		The Males and the Females only who resided in the Parish of Glasgow.		The Males and the Females only who resided in the Parish of Barony.		The Males and the Females only who resided in the Parish of Gorbals.		Total Males and Females of the double proclamations where only one Marriage could take place.					Warrants not called for, and where no Regular Marriage could take place.
			Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.				
January	140	...	7	3	10	8	3	5	20	16	160	156	316	4
February	100	...	6	5	6	3	2	...	14	8	114	108	222	...
March	98	...	5	4	4	3	1	5	10	12	108	110	218	...
April	132	...	9	2	7	6	2	4	18	12	150	144	294	3
May	239	...	14	5	6	10	6	...	26	15	265	254	519	5
June	235	...	12	10	15	6	5	2	32	18	267	253	520	5
July	122	...	2	4	3	3	2	6	7	13	129	135	264	1
August	99	...	8	4	7	7	5	1	20	12	119	111	230	...
September	105	...	5	3	3	3	3	4	11	10	116	115	231	3
October	161	...	7	3	5	4	2	3	14	10	175	171	346	3
November	143	...	4	7	7	10	4	4	15	21	158	164	322	6
December	197	...	3	4	11	8	4	8	18	20	215	217	432	1
Totals	1771	...	82	54	84	71	39	42	205	167	1976	1938	3904	31
Warrants not called for	31	...	...	...	...	...	...	...			31	31	62	
Totals of Marriages in which one of the parties or both resided in Glasgow and Suburbs.	1740	...	82	54	84	71	39	42	205	167	1945	1907	3852	
									372					

Add Total Individuals proclaimed in two different parishes	372
Do. do. proclaimed but not Married	62
Divided by 2	1286
Total amount of proclamations of Marriages in 1842	2143
Do. do. do. in 1841	2657
Do. Decrease of proclamations of Marriages in 1842	514

By deducting those cases where the warrants were not called for on the part of the Male residents, and, consequently, where there could be no Regular Marriage, and also the Females proclaimed in two parishes, where only one Marriage could take place, we have the total number of Regular Marriages in the City and Suburban Districts in 1842.

Total Proclamations for Marriages, as engrossed in the Parochial Registers		2143
Warrants of Male residents not called for	31	
Females proclaimed in two parishes, where only one Marriage could take place	167	
		— 198
Total Regular* Marriages of parties resident in the City and Suburbs in 1842		1945

The above Table further shows, that in the Parish of Glasgow there were Married, in 1842, 28 more Males than Females; in Barony, 13 more Males than Females; and in Gorbals, 3 more Females than Males; in the three Districts collectively, 38 more Males than Females.

* There are no Irregular Marriages recorded for 1842, either by the Session Clerks or by the J. P. Procurator Fiscal.

MONTHLY

TABLES OF MORTALITY

FOR

1841 & 1842.

TABLE

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons classified according to the Form given in the Appendix, and also the Proportions which

JANUARY,

DISEASES.	No.	AGES. Under 1 Year.		1 and under 2		2 and under 5		5 and under 10		10 and under 15		15 and under 20		20 and under 30		30 and under 40		40 and under 50	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Accidents	1	..	..	..	..	1	1	3	..	2	..	..	1	4	2	2	1	8	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	1	..	..	..	..	1	..	..	4	5	3	4	3
Bowel Complaints	4	32	22	4	10	4	3	..	1	..	..	..	..	..	..	..	1	..	..
Catarrh	5	..	1	..	..	..	..	1	..	..	2	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	1	..	7	..	0	..	2
Croup	7	10	6	7	5	2	5	..	1	..	1	..	..	..	..	..	..	..	..
Decline	8	5	3	10	9	12	6	2	6	6	1	5	6	11	13	9	6	12	8
Dropsy	9	..	..	..	1	6	1	5	1	..	..	4	1	1	..	2	1	2	6
Fever	10	4	2	5	..	6	4	6	4	1	1	8	8	19	19	14	7	17	11
Head, of	11	4	3	2	2	9	4	1	7	2	3	..	1	2	..	4	..	3	3
Heart, of	12	1	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	1
Hooping Cough	13	6	9	8	7	8	9	4	3	..	..	..	..	..	..	..	..	..	..
Inflammation	14	8	6	4	6	4	5	2	1	1	4	2	..	1	3	1	5	4	5
Measles	15	11	17	5	10	11	13	2	4	..	..	..	..	..	2	1	2	1	..
Nervous	16	1	3	..	2	5	1	..	..	..	..	1	..	..	..	..	..	..	..
Scarlet Fever	17	5	10	5	3	2	6	3	5	3	3	..	1	..	1	..	1	..	1
Small-Pox	18	4	..	5	3	3	4	1	..	..	..	..	..	..	..	..	..	..	..
Miscellaneous	19	1	3	3	2	2	1	..	..	1	..	..	1	..	1	3	1	1	1
Total ascertained	20	92	85	58	60	78	64	31	33	16	15	21	20	39	52	11	37	52	41
Not ascertained	21	5	4	..	..	1	2	..	1	..	..	..	..	3	..	1	2	1	2
Total	22	97	89	58	60	79	66	31	31	16	15	21	20	12	52	42	30	53	43

TABLE

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons classified according to the Form given in the Appendix, and also the Proportions which

FEBRUARY,

Accidents	1	1	..	..	..	1	..	1	..	1	..	..	1	3	1	1	..	1	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	1	2	3
Bowel Complaints	4	29	22	7	10	4	7	1	3	1	..	..	1	..	..	..	1	1	..
Catarrh	5	..	1	1	2	..	..	..	1	..	..	..	..	..	1	..	..	..	1
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..	4	..	..
Croup	7	5	4	6	7	5	1	1	2	..	..	..	..	..	..	..	..	..	1
Decline	8	7	10	7	5	4	6	2	7	3	9	6	4	12	10	4	9	10	10
Dropsy	9	..	..	2	1	6	6	4	1	1	..	..	1	2	..	1	2	2	4
Fever	10	3	2	4	5	3	8	9	5	1	3	5	7	7	10	17	7	9	7
Head, of	11	2	8	5	6	7	4	5	3	..	..	1	..	1	..	2	..	..	..
Heart, of	12	.	..	..	..	..	..	1	..	..	..	..	..	2	2	1	..	2	1
Hooping Cough	13	7	7	7	9	2	3	1	..	..	..	..	..	..	..	..	..	..	..
Inflammation	14	5	5	5	3	3	3	2	1	..	..	1	2	3	3	1	3	1	2
Measles	15	4	9	7	7	6	11	7	2	..	..	..	..	..	..	..	..	..	..
Nervous	16	1	2	..	1	1	..	..	1	1	..	..	1	..	..	..	..	1	..
Scarlet Fever	17	3	5	6	2	10	6	3	4	..	2	..	1	1	..	..	..	..	..
Small-Pox	18	7	9	4	2	3	3	1	..	..	..	..	..	..	1	..	..	..	..
Miscellaneous	19	4	1	3	2	1	2	2	..	..	1	..	..	..	1	4	..	1	..
Total ascertained	20	78	85	64	62	56	60	40	30	8	15	13	18	32	36	31	27	30	29
Not ascertained	21	2	2	2	4	2	..	..	1	..	..	..	1	..	..	..	..	..	..
Total	22	80	87	66	66	58	60	40	31	8	15	13	19	32	36	31	27	30	29

SEVENTH.

are reported to have Died, at Eighteen Periods of life, during the Month of January, 1841, these bear to the whole number of Deaths during the Month, as well as to the Population.

1841.

AGES. 50 and under 60		60 and under 70		70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100		100 and Upward.		TOTAL.		Grand Total.	PROPORTIONS. 1st. To the whole number of Deaths during the Month. 1 to every	2d.—To the Population. 1 to every	No.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
4	2	..	..	..	3	..	..	..	..	..	1	..	..	..	..	..	..	24	11	35	30·97	8060·97	1
..	..	15	16	7	9	7	14	7	7	2	6	..	1	..	..	..	..	38	53	91	11·91	3100·37	2
7	7	7	11	1	5	..	1	..	4	..	..	..	..	..	..	..	..	25	39	64	16·93	4408·34	3
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	41	37	78	13·89	3617·10	4
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	4	5	216·80	56420·80	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	19	19	57·05	14849·15	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	19	18	37	29·29	7625·24	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	77	69	146	7·42	1932·42	8
5	11	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	27	14	41	26·43	6881·31	9
2	2	3	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	97	65	162	6·69	1741·56	10
12	6	4	3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	29	25	54	20·07	5224·70	11
1	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	8	135·50	35266·75	12
1	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	26	28	54	20·07	5224·70	13
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	31	40	71	15·26	3973·71	14
4	3	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	35	50	85	12·75	3319·22	15
1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	6	13	83·38	21702·61	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	31	49	22·12	5757·83	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	7	20	54·20	14106·00	18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	15	30	36·13	9404·46	19
1	4	2	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..						
38	41	31	35	13	18	7	15	8	11	2	7	..	1	..	..	..	..	527	535	1062	1·02	265·66	20
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	11	22	49·27	12824·27	21
38	41	31	35	13	18	7	15	8	11	2	7	..	1	..	..	..	..	538	546	1084	1·00	260·27	22

EIGHTH.

are reported to have died, at Eighteen Periods of life, during the Month of February, 1841, these bear to the whole number of Deaths during the Month, as well as to the Population.

1841.

1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	4	14	64·14	20152·42	1
..	..	10	18	7	8	6	6	5	4	2	2	1	2	..	..	..	1	31	41	72	12·47	3918·52	2
6	2	1	1	1	2	..	1	..	1	..	..	..	..	..	..	..	..	11	13	24	37·41	11755·58	3
2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	46	44	90	9·97	3134·82	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	6	7	128·28	40304·85	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	9	99·77	31348·22	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	17	15	32	28·06	8816·68	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	62	75	137	6·55	2059·37	8
7	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25	23	48	18·70	5877·79	9
2	5	4	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	69	66	135	6·65	2089·88	10
6	9	5	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	27	23	50	17·96	5642·68	11
2	1	2	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	7	3	10	89·80	28213·40	12
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	17	20	37	24·27	7625·24	13
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	23	26	49	18·32	5757·83	14
..	3	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	24	29	53	16·94	5323·28	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	5	9	99·77	31348·22	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	24	20	44	20·40	6412·13	17
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	15	30	29·93	9404·46	18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	21	11	32	28·06	8816·68	19
5	2	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..						
32	29	26	26	9	13	7	8	5	5	2	2	1	2	..	..	..	1	434	448	882	1·01	319·87	20
1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	7	9	16	56·12	17633·37	21
33	29	26	26	9	14	7	8	5	5	2	2	1	2	..	..	..	1	441	457	898	1·00	314·18	22

TABLE NINTH.

TABLE exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have died at Eighteen Periods of life, during the Month of March, 1841, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

MARCH, 1841.

DISEASES.	No.	AGES. Under 1 Year. M.	F.	1 and under 2 M.	F.	2 and under 5 M.	F.	5 and under 10 M.	F.	10 and under 15 M.	F.	15 and under 20 M.	F.	20 and under 30 M.	F.	30 and under 40 M.	F.	40 and under 50 M.	F.
Accidents	1	..	1	..	..	1	3	..	..	..	1	..	..	1	..	3	2	2	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	..	1	1
Bowel Complaints	4	31	17	10	11	5	3	3	1	..	..	..	..	..	..	..	1	..	1
Catarrh	5	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	1	..	3	..	2	..	2
Croup	7	5	5	6	3	..	2	..	..	..	..	..	..	..	..	..	..	..	..
Decline	8	5	3	6	5	12	1	5	5	2	6	6	3	10	7	11	8	6	8
Dropsy	9	..	..	2	..	1	2	1	1	1	1	1	..	2	3	2	3	1	7
Fever	10	4	5	5	5	4	4	6	7	3	..	5	7	15	11	10	6	11	9
Head, of	11	11	3	7	6	5	7	2	1	1	1	1	1	1	..	..	..	2	..
Heart, of	12	..	..	..	..	..	..	..	1	1	..	..	1	..	..	1	1	..	..
Hooping Cough	13	8	14	12	9	6	6	1	2	..	1	..	..	..	..	..	..	..	..
Inflammation	14	3	1	5	3	7	2	..	1	..	2	2	1	1	6	2	4	3	5
Measles	15	6	4	8	4	9	8	2	1	..	..	..	..	..	..	..	..	..	..
Nervous	16	1	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Scarlet Fever	17	10	12	6	10	7	10	4	6	..	1	..	1	..	..	..	..	..	..
Small-Pox	18	6	6	5	7	1	5	1	..	..	..	..	..	..	..	..	..	..	..
Miscellaneous	19	8	4	6	1	..	..	..	..	..	..	1	..	1	1	1	..	2	5
Total ascertained	20	98	78	79	64	58	53	25	26	8	13	16	15	38	33	30	27	28	38
Not ascertained	21	4	4	2	3	1	1	1	..	1	..	..	..	..	..	1	..	..	..
Total	22	102	82	81	67	59	51	26	26	9	13	16	15	38	33	31	27	28	38

DISEASES.	AGES. 50 and under 60 M.	F.	60 and under 70 M.	F.	70 and under 75 M.	F.	75 and under 80 M.	F.	80 and under 85 M.	F.	85 and under 90 M.	F.	90 and under 95 M.	F.	95 and under 100 M.	F.	100 and Upward. M.	F.	TOTAL. M.	F.	Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Month — 1 to every	2d.—To the Population. — 1 to every	No.
Accidents	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	13	7	20	45·10	14106·70	1
Aged	..	..	13	9	10	7	9	5	3	7	1	1	1	..	..	..	..	..	37	29	66	13·66	4274·75	2
Asthma	1	4	1	4	1	..	2	1	..	..	..	..	..	..	..	..	..	..	7	12	19	47·47	14849·15	3
Bowel Complaints	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	49	34	83	10·86	3399·20	4
Catarrh	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	151·00	141067·00	5
Child-birth	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	8	112·75	35266·75	6
Croup	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	10	21	42·95	13434·95	7
Decline	6	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	69	51	120	7·51	2351·11	8
Dropsy	2	1	2	2	1	1	..	1	..	..	1	..	..	..	..	..	..	..	17	22	39	23·12	7234·20	9
Fever	9	7	4	2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	79	63	142	6·35	1986·85	10
Head, of	2	2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	35	21	56	76·10	5038·10	11
Heart, of	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	5	180·40	56126·80	12
Hooping Cough	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	27	32	59	15·28	4781·93	13
Inflammation	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	29	29	58	15·55	4864·37	14
Measles	2	3	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	25	17	42	21·47	6717·47	15
Nervous	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	4	245·50	70533·50	16
Scarlet Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	27	40	67	13·46	4210·95	17
Small-Pox	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	18	31	29·09	9101·09	18
Miscellaneous	2	3	2	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	25	15	40	22·55	7053·35	19
Total ascertained	25	25	27	19	18	8	11	8	3	7	2	1	1	..	..	..	..	..	467	415	882	1·92	319·87	20
Not ascertained	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	10	10	20	45·10	14106·70	21
Total	25	25	27	19	18	10	11	8	3	7	2	1	1	..	..	..	..	..	477	425	902	1·00	312·78	22

TABLE TENTH.

TABLE exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have Died at Eighteen Periods of life, during the Month of April, 1841, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

APRIL, 1841.

DISEASES.	No.	AGES. Under 1 Year. M.	F.	1 and under 2 M.	F.	2 and under 5 M.	F.	5 and under 10 M.	F.	10 and under 15 M.	F.	15 and under 20 M.	F.	20 and under 30 M.	F.	30 and under 40 M.	F.	40 and under 50 M.	F.
Accidents	1	2	..	..	1	..	2	1	..	..	..	3	..	1	..	1	..	2	1
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	2	3	1
Bowel Complaints	4	21	22	14	6	7	5	1	1	2	1	..	..	..	..	..	..	..	..
Catarrh	5	..	..	..	..	..	..	..	..	1	..	1	..	..	2	..	..	1	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	3	..	3
Croup	7	3	4	4	3	3	4	..	..	..	..	..	..	..	..	..	..	..	1
Decline	8	3	4	5	5	4	2	6	3	3	3	3	7	11	11	12	13	6	3
Dropsy	9	..	2	..	..	1	..	1	1	..	..	..	..	1	2	1	1	3	4
Fever	10	1	5	2	1	..	1	3	2	2	1	5	..	9	9	8	13	5	8
Head, of	11	9	3	7	1	4	2	2	2	3	..	1	1	..	3	..	1	1	1
Heart, of	12	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Hooping Cough	13	4	8	5	9	7	4	1	2	..	1	1	..	..	..	..	..	..	..
Inflammation	14	6	3	1	2	4	1	1	2	1	2	2	1	2	..	3	5	1	2
Measles	15	2	4	7	4	6	2	..	..	..	..	..	..	..	..	..	..	..	..
Nervous	16	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
Scarlet Fever	17	..	3	5	..	7	6	2	2	..	..	..	..	..	..	2	1	..	..
Small-Pox	18	3	3	3	2	1	1	..	..	..	..	..	..	1	..	..	..	..	..
Miscellaneous	19	3	1	1	..	1	1	1	..	..	1	2	..	2	3	1	..	3	..
Total ascertained	20	60	64	57	34	46	31	19	15	12	9	19	9	27	33	28	40	25	24
Not ascertained	21	5	6	2	1	..	..	..	..	..	..	..	..	2	..	..	1	1	..
Total	22	65	70	59	35	46	31	19	15	12	9	19	9	29	33	28	41	26	24

DISEASES.	AGES. 50 and under 60 M.	F.	60 and under 70 M.	F.	70 and under 75 M.	F.	75 and under 80 M.	F.	80 and under 85 M.	F.	85 and under 90 M.	F.	90 and under 95 M.	F.	95 and under 100 M.	F.	100 and Upward. M.	F.	TOTAL. M.	F.	Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Month — 1 to every	2d.—To the Population. — 1 to every	No.
Accidents	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	4	16	44·06	17633·37	1
Aged	..	..	8	7	6	11	6	8	4	5	1	..	1	..	..	..	..	..	26	31	57	12·36	4949·71	2
Asthma	1	..	2	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	7	5	12	58·75	23511·16	3
Bowel Complaints	2	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	51	36	87	8·10	3242·91	4
Catarrh	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	7	100·71	40304·85	5
Child-birth	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	9	78·33	31348·22	6
Croup	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	12	22	32·04	12824·27	7
Decline	4	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	57	56	113	6·23	2496·76	8
Dropsy	3	..	1	3	..	1	..	..	..	..	..	..	..	..	..	..	..	..	11	14	25	28·20	11285·36	9
Fever	7	7	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	44	49	93	7·58	3033·69	10
Head, of	2	..	..	2	..	3	..	..	..	..	..	..	..	..	..	..	..	..	29	19	48	14·68	5877·79	11
Heart, of	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	1	5	141·00	56426·80	12
Hooping Cough	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	24	42	16·78	6717·47	13
Inflammation	2	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25	19	44	16·02	6412·13	14
Measles	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	10	25	28·20	11285·36	15
Nervous	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	4	6	117·50	47022·33	16
Scarlet Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	12	28	25·17	10076·21	17
Small-Pox	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	6	14	50·35	20152·42	18
Miscellaneous	6	1	1	3	..	1	1	..	..	..	..	..	..	..	..	..	..	..	22	11	33	21·36	8549·51	19
Total ascertained	31	15	19	20	6	17	7	8	4	5	1	..	1	..	..	..	..	..	362	324	686	1·02	411·27	20
Not ascertained	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	8	19	37·10	14849·15	21
Total	31	15	20	20	6	17	7	8	4	5	1	..	1	..	..	..	..	..	373	332	705	1·00	400·19	22

TABLE

TABLE exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have Died, at Eighteen Periods of life, during the Month of May, 1841, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

MAY, 1841.

DISEASES.	No.	AGES. Under 1 Year. M.	F.	1 and under 2 M.	F.	2 and under 5 M.	F.	5 and under 10 M.	F.	10 and under 15 M.	F.	15 and under 20 M.	F.	20 and under 30 M.	F.	30 and under 40 M.	F.	40 and under 50 M.	F.
Accidents	1	..	..	1	..	..	..	1	..	..	1	3	..	2	1	2	..	2	1
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	1
Bowel Complaints	4	20	16	3	7	2	..	..	..	..	..	1	..	..	..	1	2	1	2
Catarrh	5	..	1	..	..	1	2	..	..	1	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	..	2
Croup	7	1	5	1	2	..	1	3	..	..	..	..	..	..	..	..	..	..	..
Decline	8	7	2	9	5	7	5	3	2	1	7	8	8	7	13	9	15	7	7
Dropsy	9	..	..	..	..	2	1	3	..	..	..	..	1	..	1	1	2	3	..
Fever	10	1	1	2	3	1	1	3	3	2	2	3	2	10	7	11	7	8	12
Head, of	11	3	1	3	5	3	0	2	1	1	..	1	..	..	..	2	2	2	2
Heart, of	12	1	..	..	..	..	..	1	..	..	..	..	..	2	1	..	..	..	1
Hooping Cough	13	2	6	6	3	5	10	3	2	2	..	1	..	..	1	..	..	..	..
Inflammation	14	2	1	4	4	2	5	2	3	..	1	1	1	..	3	2	2	1	2
Measles	15	3	1	4	2	6	7	2	2	3	2	..	..	..	..	..	..	..	..
Nervous	16	..	1	..	..	..	2	..	1	..	..	..	..	..	..	..	..	..	..
Scarlet Fever	17	2	..	1	2	3	4	3	3	..	..	..	..	..	..	..	..	..	..
Small-Pox	18	2	6	5	3	1	3	..	1	1	3	1	..	2	1	..	..	..	..
Miscellaneous	19	..	2	2	..	1	1	..	..	1	..	..	1	..	..	1	3	2	2
Total ascertained	20	44	43	41	36	37	57	26	18	15	16	20	13	23	30	32	36	26	32
Not ascertained	21	2	3	2	1	..	3	2	5	1	..	..	..	1	2	..	2	1	..
Total	22	46	46	43	37	37	60	28	23	16	16	20	13	21	32	32	38	27	32

DISEASES.	No.	AGES. 50 and under 60 M.	F.	60 and under 70 M.	F.	70 and under 75 M.	F.	75 and under 80 M.	F.	80 and under 85 M.	F.	85 and under 90 M.	F.	90 and under 95 M.	F.	95 and under 100 M.	F.	100 and Upward. M.	F.	TOTAL. M.	F.	Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Month. 1 to every	2d.—To the Population. 1 to every	No.
Accidents	1	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	14	3	17	40·23	16596·11	1
Aged	2	..	..	8	8	11	9	3	2	4	2	..	..	1	..	..	..	..	..	27	21	48	14·25	5877·79	2
Asthma	3	3	..	4	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	9	2	11	62·18	25648·54	3
Bowel Complaints	4	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	31	27	58	11·79	4864·37	4
Catarrh	5	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	5	7	97·71	40304·85	5
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	6	114·00	47022·33	6
Croup	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	11	16	42·75	17633·37	7
Decline	8	6	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	67	67	134	5·10	2105·47	8
Dropsy	9	..	..	..	3	..	..	..	2	..	..	..	..	..	..	..	..	..	..	9	13	22	31·09	12824·27	9
Fever	10	8	5	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	56	47	103	6·64	2739·16	10
Head, of	11	..	..	..	..	1	1	..	1	..	..	..	..	..	..	1	..	..	..	19	19	38	18·00	7424·57	11
Heart, of	12	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	7	97·71	40304·85	12
Hooping Cough	13	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	19	22	41	16·68	6881·31	13
Inflammation	14	1	..	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	17	23	40	17·10	7053·35	14
Measles	15	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	14	32	21·37	8816·68	15
Nervous	16	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	6	114·00	47022·33	16
Scarlet Fever	17	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	9	18	38·00	15674·11	17
Small-Pox	18	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	17	29	23·58	9728·75	18
Miscellaneous	19	2	3	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	13	24	28·50	11755·58	19
Total ascertained	20	21	12	18	14	14	13	4	5	4	2	..	..	1	..	1	..	..	..	330	327	657	1·04	429·42	20
Not ascertained	21	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	17	27	25·33	10449·40	21
Total	22	21	13	19	14	14	13	4	5	4	2	..	..	1	..	1	..	..	..	340	344	684	1·00	412·47	22

TABLE

TABLE exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have Died, at Eighteen Periods of life, during the Month of June, 1841, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

JUNE, 1841.

DISEASES.	No.	AGES. Under 1 Year. M.	F.	1 and under 2 M.	F.	2 and under 5 M.	F.	5 and under 10 M.	F.	10 and under 15 M.	F.	15 and under 20 M.	F.	20 and under 30 M.	F.	30 and under 40 M.	F.	40 and under 50 M.	F.
Accidents	1	..	1	..	..	2	..	1	1	..	..	1	2	1	..	1	..	3	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2
Bowel Complaints	4	17	19	5	8	3	1	2	..	1	..	1	2	..	..	..	2	..	..
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..
Croup	7	2	1	2	3	5	1	..	..	..	1	..	..	..	1	..	..	..	..
Decline	8	4	2	3	1	8	8	2	6	4	4	7	6	14	20	7	5	3	6
Dropsy	9	..	..	..	..	..	1	2	..	..	..	..	..	..	1	1	2	1	3
Fever	10	4	1	1	..	1	6	4	..	1	3	4	4	11	6	5	5	6	6
Head, of	11	6	6	3	2	4	4	2	1	2	1	..	..	2	..	1	..	..	1
Heart, of	12	..	1	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..
Hooping Cough	13	4	3	5	5	4	3	3	2	..	..	..	..	..	..	..	..	..	..
Inflammation	14	1	7	3	..	1	4	..	1	..	1	3	1	2	..	2	3	2	1
Measles	15	1	4	3	3	8	5	2	4	1	3	..	..	..	..	..	..	..	..
Nervous	16	1	1	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..
Scarlet Fever	17	3	2	3	8	4	7	2	..	1	..	..	2	..	..	..	..	..	..
Small-Pox	18	4	5	2	5	4	3	..	..	2	1	..	..	..	..	..	..	..	..
Miscellaneous	19	2	4	3	5	3	6	1	1	1	1	..	..	2	1	1	2	3	5
Total ascertained	20	49	57	33	40	49	50	23	16	13	16	16	17	33	29	19	22	18	24
Not ascertained	21	6	3	..	..	..	..	2	1	..	..	..	..	2	2	..	1	..	1
Total	22	55	60	33	40	49	50	25	17	13	16	16	17	35	31	19	23	18	25

DISEASES.	No.	AGES. 50 and under 60 M.	F.	60 and under 70 M.	F.	70 and under 75 M.	F.	75 and under 80 M.	F.	80 and under 85 M.	F.	85 and under 90 M.	F.	90 and under 95 M.	F.	95 and under 100 M.	F.	100 and Upward. M.	F.	TOTAL. M.	F.	Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Month. 1 to every	2d.—To the Population. 1 to every	No.
Accidents	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	5	15	44·06	18808·93	1
Aged	2	..	..	3	15	3	7	1	12	2	3	..	..	..	1	..	..	..	..	9	38	47	14·06	6002·85	2
Asthma	3	2	1	1	7	..	2	..	..	..	..	..	..	..	..	..	..	..	..	3	13	16	41·31	17633·37	3
Bowel Complaints	4	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	30	33	63	10·49	4478·31	4
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	330·50	141067·00	5
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	330·50	141067·00	6
Croup	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	7	16	41·31	17633·37	7
Decline	8	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	54	60	114	5·79	2474·85	8
Dropsy	9	5	3	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	13	23	28·73	12266·69	9
Fever	10	6	6	5	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	48	38	86	7·68	3280·62	10
Head, of	11	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	21	17	38	17·39	7424·57	11
Heart, of	12	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	5	1	6	110·16	47022·33	12
Hooping Cough	13	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	13	29	22·79	9728·75	13
Inflammation	14	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	20	36	18·36	7837·05	14
Measles	15	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	19	34	19·44	8298·05	15
Nervous	16	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	4	5	132·20	56426·80	16
Scarlet Fever	17	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	19	32	20·65	8816·68	17
Small-Pox	18	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	14	26	25·42	10851·30	18
Miscellaneous	19	2	3	3	2	1	..	..	..	1	..	..	..	..	..	..	..	..	..	22	31	53	12·47	5323·28	19
Total ascertained	20	20	18	15	31	5	10	1	12	2	4	..	..	..	1	..	..	..	..	296	317	643	1·02	438·77	20
Not ascertained	21	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	8	18	36·72	15674·11	21
Total	22	20	18	15	31	5	10	1	12	2	4	..	..	..	1	..	..	..	..	306	355	661	1·00	426·82	22

TABLE

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons classified according to the Form given in the Appendix, and also the Proportions which

JULY,

DISEASES.	No.	AGES. Under 1 Year.		1 and under 2		2 and under 5		5 and under 10		10 and under 15		15 and under 20		20 and under 30		30 and under 40		40 and under 50	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Accidents	1	..	..	..	..	..	1	1	1	1	..	1	..	7	1	1	1	..	2
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..
Bowel Complaints	4	32	30	7	8	4	1	2	..	1	..	..	1	..	1	..	3	2	1
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
Croup	7	..	2	..	2	4	1	..	..	1	..	..	..	..	..	..	..	..	..
Decline	8	2	12	5	4	3	2	3	3	..	1	7	8	9	7	8	5	3	11
Dropsy	9	..	1	..	..	..	1	2	..	1	..	..	1	..	..	..	1	1	2
Fever	10	..	..	2	1	3	1	1	..	..	1	3	3	10	6	10	8	5	2
Head, of	11	8	2	3	2	2	..	1	1	..	..	..	..	1	..	3	..	2	1
Heart, of	12	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..
Hooping Cough	13	6	1	3	5	5	3	..	..	..	..	..	..	..	..	..	..	..	..
Inflammation	14	3	1	..	1	2	3	3	1	..	2	1	3	2	1	2	2	3	3
Measles	15	4	4	7	3	2	1	2	..	..	..	..	..	..	..	..	..	..	..
Nervous	16	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Scarlet Fever	17	4	4	2	6	5	8	2	3	2	..	..	..	..	..	..	..	..	..
Small-Pox	18	5	4	4	7	3	3	..	..	..	..	..	..	..	..	..	..	..	..
Miscellaneous	19	7	1	1	..	1	1	1	..	..	1	..	2	..	2	..	..	..	4
Total ascertained	20	72	62	31	39	31	26	18	9	9	6	12	18	29	18	28	21	17	26
Not ascertained	21	3	4	1	..	..	1	3	..	1	..	..	..	..	1	2	..	..	1
Total	22	75	66	35	39	31	27	21	9	10	6	12	18	29	19	30	21	17	27

TABLE

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons classified according to the Form given in the Appendix, and also the Proportions which

AUGUST,

Accidents	1	..	..	..	..	2	..	1	..	..	..	..	..	3	..	3	..	..	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Bowel Complaints	4	48	35	15	12	6	5	..	4	..	..	..	..	2	1	1	2	1	2
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	2	1	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	3	..	..
Croup	7	..	3	2	2	2	2	..	..	..	..	..	..	..	..	..	..	..	..
Decline	8	4	5	8	4	7	4	2	..	3	2	2	4	10	14	5	8	6	7
Dropsy	9	1	..	..	..	..	1	..	..	..	1	1	..	2	3	..	3	2	..
Fever	10	5	2	1	4	2	3	3	1	..	1	2	2	1	6	11	4	5	8
Head, of	11	12	9	4	3	3	1	2	5	..	1	..	1	..	2	2	1	2	2
Heart, of	12	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	1	..
Hooping Cough	13	3	7	4	3	3	3	..	1	..	1	..	..	..	..	..	..	..	..
Inflammation	14	5	3	4	3	2	..	1	..	1	..	..	1	2	1	1	2	1	..
Measles	15	3	1	1	3	4	1	..	..	..	..	..	..	..	..	..	..	..	..
Nervous	16	2	1	1	1	..	..	1	1	..	..	..	..	..	..	..	..	..	..
Scarlet Fever	17	3	2	6	1	6	4	2	3	1	..	..	1	..	..	..	..	..	..
Small-Pox	18	4	6	5	6	7	6	2	..	1	..	..	..	1	..	..	..	..	..
Miscellaneous	19	4	3	1	3	1	1	..	..	..	..	..	..	3	1	2	4	1	5
Total ascertained	20	94	77	52	45	45	31	15	15	6	6	6	10	24	30	25	29	20	24
Not ascertained	21	4	5	2	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1
Total	22	98	82	54	45	45	31	15	15	6	6	6	10	24	30	25	29	23	25

THIRTEENTH.

are reported to have Died at Eighteen Periods of life, during the Month of July, 1841, these bear to the whole number of Deaths during the Month, as well as to the Population.

1841.

AGES. 50 and under 60		60 and under 70		70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100		100 and Upward.		TOTAL.		Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Month. 1 to every	2d.—To the population. 1 to every	No.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	6	18	34·77	15674·11	1
..	..	10	5	8	8	3	6	3	8	1	1	..	1	..	2	..	..	25	31	56	11·17	5038·10	2
1	1	1	..	1	..	1	1	..	..	..	..	..	..	..	..	..	..	6	2	8	78·25	35266·75	3
..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	53	46	99	6·32	2849·83	4
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	626·00	282134·00	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	156·50	70533·50	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	5	10	62·60	28213·40	7
10	8	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	50	61	111	5·63	2541·74	8
2	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	6	9	15	41·73	18808·93	9
4	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	38	24	62	10·09	4550·54	10
1	..	1	2	1	..	..	..	..	1	..	..	..	..	..	..	..	..	23	9	32	19·56	8816·68	11
2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	1	6	104·33	47022·33	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	9	23	27·21	12266·69	13
2	2	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	20	40	15·65	7053·35	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	8	23	27·21	12266·69	15
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	208·66	94044·66	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	21	36	17·38	7837·05	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	14	26	24·07	10851·30	18
2	3	4	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	16	32	19·56	8816·68	19
25	18	20	13	11	9	4	7	3	9	1	1	..	1	..	2	..	..	317	288	605	1·03	466·33	20
..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	11	21	29·80	13434·95	21
25	22	20	13	11	9	4	7	3	9	1	1	..	1	..	2	..	..	327	299	626	1·00	450·69	22

FOURTEENTH.

are reported to have Died at Eighteen Periods of life, during the Month of August, 1841, these bear to the whole number of Deaths during the Month, as well as to the Population.

1841.

..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	9	1	10	69·80	28213·40	1
..	..	7	7	10	17	3	11	3	3	2	..	1	1	1	1	..	..	27	40	67	10·41	4210·95	2
1	1	1	2	1	..	..	..	..	..	1	..	..	..	..	..	..	..	4	3	7	99·71	40304·85	3
1	1	..	2	..	2	1	..	..	..	..	..	..	..	..	..	..	..	75	66	141	4.95	2000·95	4
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	5	139·60	56426·80	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	5	139·60	56426·80	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	7	11	63·45	25648·54	7
5	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	52	53	105	6·64	2686·99	8
..	6	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	14	21	33·23	13434·95	9
3	2	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	36	35	71	9·83	3973·71	10
1	..	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	27	28	55	12·69	5129·70	11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	3	232·66	94044·66	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	15	25	27·92	11285·36	13
3	..	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	21	12	33	21·15	8549·51	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	5	13	53·69	21702·61	15
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	8	87·25	35266·75	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	11	29	24·06	9728·75	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	18	38	18·36	7424·57	18
..	..	3	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	16	19	35	19·49	8060·97	19
14	16	18	18	11	20	5	13	3	3	3	..	1	1	1	1	..	..	343	339	682	1·02	413.68	20
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	6	16	43·62	17633·37	21
15	16	18	18	11	20	5	13	3	3	3	..	1	1	1	1	..	..	353	345	698	1·00	404·20	22

TABLE

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons
classified according to the Form given in the Appendix, and also the Proportions which

SEPTEMBER,

DISEASES.	No.	AGES. Under 1 Year.		1 and under 2		2 and under 5		5 and under 10		10 and under 15		15 and under 20		20 and under 30		30 and under 40		40 and under 50	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Accidents	1	..	..	1	..	1	..	3	..	1	..	..	1	1	..	2	..	2	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
Bowel Complaints	4	37	28	15	12	3	4	..	..	2	..	..	1	..	2	..	..	..	..
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	3	..	..
Croup	7	3	1	3	2	1	..	..	1	..	2	..	..	..	..	..	..	..	..
Decline	8	11	5	9	3	1	4	..	3	5	4	4	2	11	5	10	7	2	7
Dropsy	9	..	..	..	..	1	1	..	..	1	..	..	1	..	..	..	3	..	3
Fever	10	5	3	..	1	2	3	4	..	3	..	1	2	3	4	11	2	9	4
Head, of	11	9	3	3	6	5	..	1	..	..	1	..	1	..	..	2	1	..	2
Heart, of	12	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..
Hooping Cough	13	2	2	2	4	2	1	1	2	..	..	..	..	..	..	..	..	..	..
Inflammation	14	4	7	4	2	2	1	2	1	3	3	1	1	1	3	..	2	3	..
Measles	15	2	2	4	4	6	5	2	..	..	..	..	..	..	..	..	..	..	..
Nervous	16	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
Scarlet Fever	17	3	2	4	4	6	4	1	1	1	..	..	..	..	..	..	..	..	..
Small-Pox	18	6	3	2	5	6	11	3	3	..	..	..	..	..	..	..	..	..	..
Miscellaneous	19	2	1	2	3	1	..	..	..	..	1	..	..	1	1	1	1	2	..
Total ascertained	20	81	58	49	46	38	35	17	11	16	11	6	9	20	20	26	19	18	17
Not ascertained	21	1	4	1	1	1	2	..	..	..	..	..	..	..	1	1	1	2	..
Total	22	85	62	50	47	39	37	17	11	16	11	6	9	20	21	27	20	20	17

TABLE

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons
classified according to the Form given in the Appendix, and also the Proportions which

OCTOBER,

Accidents	1	..	..	..	..	1	..	..	1	..	1	..	..	2	1	1	..	4	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	1	..	..	..	..	1	1	..	..	..
Bowel Complaints	4	21	26	4	2	3	1	..	1	..	..	..	..	..	..	..	2	..	..
Catarrh	5	1	..	..	..	2	..	..	..	..	1	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	1
Croup	7	2	5	1	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..
Decline	8	5	6	4	5	4	3	2	1	1	2	5	4	5	7	5	5	3	7
Dropsy	9	..	1	1	1	2	..	2	1	2	..	..	..	1	..	..	3	1	3
Fever	10	3	1	4	3	2	4	..	2	..	2	..	3	5	5	6	6	4	5
Head, of	11	5	2	3	3	3	2	3	1	..	..	1	1	1	2	..	..	3	2
Heart, of	12	..	1	..	..	..	..	..	1	..	1	..	..	..	1	..	..	..	2
Hooping Cough	13	6	3	3	7	10	9	1	..	..	..	..	..	..	..	..	..	..	..
Inflammation	14	3	6	3	8	2	4	3	..	2	..	..	..	3	3	2	..	..	1
Measles	15	3	2	1	4	5	..	..	2	..	..	..	..	..	..	..	..	..	..
Nervous	16	2	..	..	1	..	1	..	..	..	..	..	1	..	..	..	..	..	..
Scarlet Fever	17	4	5	7	4	7	11	6	2	..	..	..	..	1	..	..	..	..	..
Small-Pox	18	8	3	7	3	6	4	..	1	..	1	..	..	..	..	..	..	..	..
Miscellaneous	19	5	3	4	3	1	..	1	..	..	..	..	..	..	..	1	1	2	1
Total ascertained	20	68	64	42	46	49	40	18	13	6	8	6	9	18	20	16	20	17	22
Not ascertained	21	3	6	..	1	2	2	2	..	..	..	..	..	1	..	2	1	..	3
Total	22	71	70	42	47	51	42	20	13	6	8	6	9	19	20	18	21	17	25

FIFTEENTH.

are reported to have Died, at Eighteen Periods of life, during the Month of September, 1841,
these bear to the whole number of Deaths during the Month, as well as to the Population.

1841.

AGES. 50 and under 60		60 and under 70		70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100		100 and Upward.		TOTAL.		Grand Total.	PROPORTIONS. 1st. To the whole number of Deaths during the Month. 1 to every	2d.—To the Population. 1 to every	No.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
1	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	17	2	19	33·36	14849·15	1
..	..	7	7	7	8	7	3	5	6	2	1	..	1	..	1	..	..	28	27	55	11·52	5129·70	2
1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	4	158·50	70532·50	3
3	1	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	62	49	111	5·71	2541·74	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	7	90·57	40304·85	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	6	13	48·76	21702·01	7
6	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	59	46	105	6·03	2686·09	8
1	1	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	11	17	37·29	16596·11	9
2	2	2	3	1	1	..	1	..	..	..	..	..	..	..	..	..	..	43	26	69	9·18	4088·89	10
4	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25	14	39	16·25	7234·20	11
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3	211·33	94044·66	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	9	16	39·62	17633·37	13
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	21	21	42	15·09	6717·47	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	11	25	25·36	11285·36	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	317·00	141067·00	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	11	26	24·38	10851·30	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	17	22	39	16·25	7234·20	18
2	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	9	21	30·19	13434·95	19
21	14	19	15	8	9	7	4	5	6	2	1	..	1	..	1	..	..	336	277	613	1·03	460·25	20
1	1	1	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	9	12	21	30·19	13434·95	21
22	15	20	15	9	10	7	5	5	6	2	1	..	1	..	1	..	..	345	289	634	1·00	445·00	22

SIXTEENTH.

are reported to have died, at Eighteen Periods of life, during the Month of October, 1841,
these bear to the whole number of Deaths during the Month, as well as to the Population.

1841.

2	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	10	4	14	43·50	20152·42	1
..	..	13	8	4	10	3	2	2	5	..	1	..	..	..	..	..	..	22	26	48	12·68	5877·79	2
1	1	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	3	8	76·12	35266·75	3
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	33	61	9·98	4625·14	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1	4	152·25	70533·50	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	152·25	70533·50	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	8	12	50·75	23511·16	7
3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	37	42	79	7·70	3571·31	8
1	2	3	..	1	1	1	..	..	1	..	..	..	..	..	..	..	..	15	13	28	21·75	10076·21	9
3	3	1	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	29	36	65	9·36	4340·52	10
..	1	3	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	22	17	39	15·61	7234·20	11
1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	2	7	9	67·66	31348·22	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	19	39	15·61	7234·20	13
..	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	19	25	44	13·84	6412·13	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	8	17	35·82	16596·11	15
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	4	6	101·50	47022·33	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25	22	47	12·95	6002·85	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	21	12	33	18·45	8549·51	18
..	3	..	3	..	..	..	1	..	..	..	..	..	..	..	..	..	..	14	15	29	21·00	9728·75	19
11	16	23	17	6	14	5	3	2	6	..	1	..	..	..	..	..	..	287	299	586	1·03	481·45	20
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	13	23	26·47	12266·69	21
11	16	23	17	6	14	5	3	2	6	..	1	..	..	..	..	..	..	297	312	609	1·00	463·27	22

TABLE

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons classified according to the Form given in the Appendix, and also the Proportions which

NOVEMBER,

DISEASES.	No.	AGES. Under 1 Year.		1 and under 2		2 and under 5		5 and under 10		10 and under 15		15 and under 20		20 and under 30		30 and under 40		40 and under 50	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Accidents	1	..	1	..	..	1	2	1	..	..	1	..	..	4	..	3	1	2	1
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	1	..	1
Bowel Complaints	4	27	22	5	9	2	1	..	..	..	..	..	..	..	..	..	..	1	1
Catarrh	5	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	3	..	..
Croup	7	2	4	4	3	3	1	..	1	..	..	..	..	..	..	..	..	..	..
Decline	8	4	6	7	7	7	3	7	2	1	1	2	4	10	8	10	5	8	6
Dropsy	9	..	..	1	2	1	..	1	..	..	1	..	..	..	..	..	2	3	2
Fever	10	2	..	2	2	5	2	..	6	1	1	2	2	5	5	10	6	6	5
Head, of	11	7	3	..	5	2	4	5	1	..	..	..	..	..	..	2	..	3	.
Heart, of	12	..	..	..	1	..	..	..	..	..	..	..	..	..	1	2	..	1	..
Hooping Cough	13	9	3	2	8	2	5	..	1	..	..	..	..	..	..	..	..	..	..
Inflammation	14	9	7	6	4	4	3	4	3	..	..	1	1	3	4	5	1	3	1
Measles	15	1	2	4	3	8	6	..	..	1	..	..	..	..	..	..	..	..	..
Nervous	16	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
Scarlet Fever	17	2	2	6	7	9	7	2	5	1	2	..	1	..	..	..	..	..	..
Small-Pox	18	6	6	3	5	3	3	1	1	..	..	..	..	1	..	..	..	..	..
Miscellaneous	19	1	4	2	3	..	..	1	1	1	..	2	..	2	2	2	1	3	1
Total ascertained	20	73	61	43	59	47	37	22	21	5	6	7	8	32	22	34	21	30	19
Not ascertained	21	4	6	..	5	2	1	..	2	..	..	..	..	..	1	1	..	1	..
Total	22	77	67	43	64	49	38	22	23	5	6	7	8	32	23	35	21	31	19

TABLE

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons classified according to the Form given in the Appendix, and also the Proportions which

DECEMBER,

Accidents	1	..	1	..	..	..	..	..	1	..	..	1	..	1	..	2	..	1	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..
Bowel Complaints	4	20	23	1	7	4	..	1	..	..	..	1	..	..	..	..	..	..	..
Catarrh	5	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	4	..	..
Croup	7	4	2	5	..	2	5	1	1	1	..	..	..	..	..	..	..	..	..
Decline	8	4	1	1	2	6	7	1	3	1	4	3	4	6	7	8	10	3	3
Dropsy	9	..	..	1	..	1	1	..	..	3	..	..	..	1	1	..	3	1	4
Fever	10	1	1	2	1	5	..	4	1	2	..	1	3	5	3	7	4	6	4
Head, of	11	3	9	6	4	5	5	..	1	1	..	1	..	1	3	1	..	1	1
Heart, of	12	..	..	1	..	..	..	2	..	..	..	..	..	..	..	..	1	..	..
Hooping Cough	13	7	4	9	9	1	10	1	3	..	..	..	..	..	..	..	..	..	..
Inflammation	14	15	7	1	3	7	2	5	3	..	..	2	5	2	2	..	..	3	4
Measles	15	2	2	5	2	6	5	5	..	2	..	..	..	..	..	..	..	..	..
Nervous	16	1	..	..	..	3	1	..	..	..	..	..	1	..	..	..	..	..	1
Scarlet Fever	17	1	2	6	7	7	3	3	7	1	1	1	..	..	..	1	..	..	..
Small-Pox	18	5	4	4	1	5	6	2	1	..	1	..	..	1	1	..	1	..	..
Miscellaneous	19	5	2	3	4	..	1	1	..	2	..	..	..	2	4	1	3	4	5
Total ascertained	20	68	58	45	40	52	46	27	21	13	6	10	13	19	24	21	26	21	22
Not ascertained	21	4	4	1	1	..	..	..	..	..	..	1	1	..	1	..	..	..	1
Total	22	72	62	46	41	52	46	27	21	13	6	11	14	19	25	21	26	21	23

SEVENTEENTH.

are reported to have Died at Eighteen Periods of life, during the Month of November, 1841, these bear to the whole number of Deaths during the Month, as well as to the Population.

1841.

AGES. 50 and under 60		60 and under 70		70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100		100 and Upward.		TOTAL.		Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Month. 1 to every	2d.—To the population. 1 to every	No.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
2	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	14	7	21	32·52	13434·05	1
..	..	13	8	4	8	4	9	2	2	1	4	..	..	..	..	..	..	24	31	55	12·41	5129·70	2
3	1	1	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	9	4	13	52·53	21702·61	3
1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	38	33	71	9·61	3973·71	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	683·00	282134·00	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	5	136·60	56426·80	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	9	18	37·94	15674·11	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	66	44	110	6·20	2564·85	8
1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	10	19	35·94	14849·15	9
1	2	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	36	32	68	10·04	4149·02	10
3	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	25	14	39	17·51	7234·20	11
2	1	2	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	4	2	6	113·83	47022·33	12
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	17	30	22·76	9404·46	13
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	36	28	64	10·67	4408·34	14
..	1	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	11	25	27·32	11285·36	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	6	113·83	47022·33	16
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	24	44	15·52	6412·13	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	15	29	23·55	9728·75	18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	17	14	31	22·03	9101·09	19
1	1	2	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..						
17	9	23	14	10	9	5	12	2	2	1	4	..	..	..	..	..	..	351	304	655	1·04	430·73	20
2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	18	28	24·39	10076·21	21
19	12	23	14	10	9	5	12	2	2	1	4	..	..	..	..	..	..	361	322	683	1·00	413·08	22

EIGHTEENTH.

are reported to have Died at Eighteen Periods of life, during the Month of December, 1841, these bear to the whole number of Deaths during the Month, as well as to the Population.

1841.

1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	6	4	10	70·20	28213·40	1
..	..	11	15	4	9	8	8	5	10	3	2	..	..	..	..	..	..	31	44	75	9·36	3761·78	2
4	4	4	4	..	..	..	1	..	..	..	..	..	..	..	..	..	..	11	9	20	35·10	14106·70	3
1	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	28	33	61	11·50	4625·14	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	702·00	282134·00	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	7	100·28	40304·85	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	8	21	33·42	13434·95	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	39	44	83	8·45	3399·20	8
6	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	15	30	23·40	9404·46	9
2	..	4	5	1	..	..	1	..	..	..	..	1	..	..	..	..	..	41	20	61	11·50	4625·14	10
4	1	4	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	22	24	46	15·26	6133·34	11
..	1	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	4	1	5	140·40	56426·80	12
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	26	44	15·95	6412·13	13
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	40	32	72	9·75	3918·52	14
1	4	4	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	20	9	29	24·20	9728·75	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	5	9	78.00	31348·22	16
..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	20	40	17·55	7053·35	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	17	15	32	21·93	8816·68	18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	22	42	16·71	6717·47	19
2	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..						
22	16	29	31	5	11	9	11	5	11	3	2	1	..	..	..	..	..	350	338	688	1·02	410·67	20
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	8	14	50·14	20152·42	21
22	16	29	31	5	11	9	11	5	11	3	2	1	..	..	..	..	..	356	346	702	1·00	401·90	22

TABLE NINETEENTH.

TABLE exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have Died, at Eighteen Periods of life, during the Month of January, 1842, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

JANUARY, 1842.

DISEASES.	No.	AGES. Under 1 Year. M.	F.	1 and under 2 M.	F.	2 and under 5 M.	F.	5 and under 10 M.	F.	10 and under 15 M.	F.	15 and under 20 M.	F.	20 and under 30 M.	F.	30 and under 40 M.	F.	40 and under 50 M.	F.
Accidents	1	1	..	..	..	..	..	..	..	1	1	1	1	1	3	1	1	2	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	1	2	4
Bowel Complaints	4	22	35	9	3	4	3	..	1	..	..	..	..	..	..	1	1	..	..
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	3	..	1
Croup	7	3	1	5	6	3	2	3	3	..	..	..	..	..	2	..	..	..	..
Decline	8	3	5	2	8	9	7	3	3	1	5	2	6	8	10	10	12	6	7
Dropsy	9	..	..	..	1	1	1	1	1	2	1	3	..	1	..	1	2	2	3
Fever	10	..	..	..	1	2	2	..	3	4	2	3	1	9	7	3	1	5	4
Head, of	11	1	3	5	2	7	2	3	1	..	..	3	..	..	..	1	1	2	1
Heart, of	12	..	..	..	..	..	..	..	1	..	1	..	1	..	..	..	..	1	1
Hooping Cough	13	8	2	5	12	9	6	1	1	..	..	..	..	..	..	..	..	..	..
Inflammation	14	8	1	4	3	9	..	3	2	..	2	..	1	1	4	2	3	2	3
Measles	15	7	4	8	8	10	9	3	5	..	1	..	..	..	..	..	..	..	..
Nervous	16	2	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
Scarlet Fever	17	1	2	..	1	5	5	4	5	1	2	..	..	1	..	..	..	..	..
Small-Pox	18	9	2	7	6	8	8	7	4	2	1	..	..	2	..	1	1	..	..
Miscellaneous	19	7	2	2	3	1	..	1	3	1	1	1	3	..	4	2	1	2	3
Total ascertained	20	72	58	47	54	68	46	29	34	12	17	13	13	23	35	22	27	25	27
Not ascertained	21	..	3	..	..	..	1	2	..	..	..	..	..	1	..	1	1	1	2
Total	22	72	61	47	54	68	47	31	34	12	17	13	13	24	35	23	28	26	29

DISEASES.	No.	AGES. 50 and under 60 M.	F.	60 and under 70 M.	F.	70 and under 75 M.	F.	75 and under 80 M.	F.	80 and under 85 M.	F.	85 and under 90 M.	F.	90 and under 95 M.	F.	95 and under 100 M.	F.	100 and Upward. M.	F.	TOTAL. M.	F.	Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Month. 1 to every	2d.—To the Population. 1 to every	No.
Accidents	1	..	..	..	..	..	1	1	..	..	1	..	..	..	..	..	..	..	..	8	8	16	49·56	18225·00	1
Aged	2	..	..	15	11	7	15	9	9	4	10	1	2	1	1	..	..	..	..	37	48	85	9·32	3430·58	2
Asthma	3	1	2	2	4	..	..	..	1	..	..	..	..	..	..	..	..	..	..	5	14	19	41·73	15347·36	3
Bowel Complaints	4	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	36	44	80	9·01	3645·00	4
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	703·00	291600·00	5
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	8	99·12	36450·00	6
Croup	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	14	28	28·32	10414·28	7
Decline	8	5	12	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	49	75	124	6·39	2351·61	8
Dropsy	9	3	3	2	4	..	..	1	1	..	..	..	..	..	..	..	..	..	..	17	17	34	23·32	8576·47	9
Fever	10	4	2	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	32	23	55	14·41	5301·81	10
Head, of	11	..	..	3	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	26	10	36	22·02	8100·00	11
Heart, of	12	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	8	99·12	36450·00	12
Hooping Cough	13	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	23	21	44	18·02	6627·27	13
Inflammation	14	1	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	32	21	53	14·06	5501·88	14
Measles	15	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	28	27	55	14·41	5301·81	15
Nervous	16	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	4	108·25	72000·00	16
Scarlet Fever	17	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	16	28	28·32	10414·28	17
Small-Pox	18	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	36	22	58	13·67	5027·58	18
Miscellaneous	19	..	2	1	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	19	24	43	18·44	6781·39	19
Total ascertained	20	17	24	25	19	8	19	13	11	5	11	1	2	1	1	..	..	..	..	381	398	779	1·01	374·32	20
Not ascertained	21	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	7	14	56·64	20828·57	21
Total	22	18	24	26	19	8	19	13	11	5	11	1	2	1	1	..	..	..	..	388	405	793	1·00	367·71	22

TABLE TWENTIETH.

TABLE exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have Died, at Eighteen Periods of life, during the Month of February, 1842, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

FEBRUARY, 1842.

DISEASES.	No.	AGES. Under 1 Year. M.	F.	1 and under 2 M.	F.	2 and under 5 M.	F.	5 and under 10 M.	F.	10 and under 15 M.	F.	15 and under 20 M.	F.	20 and under 30 M.	F.	30 and under 40 M.	F.	40 and under 50 M.	F.
Accidents	1	..	..	1	..	..	1	2	..	1	..	2	..	2	..	1	..	1	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	2
Bowel Complaints	4	24	24	8	6	1	1	1	..	..	..	..	..	..	1	2	1	..	..
Catarrh	5	..	..	1	..	2	1	1	..	..	..	1	..	..	..	1	2	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	..	..
Croup	7	..	2	5	5	3	1	2	1	..	..	..	..	..	..	..	..	..	..
Decline	8	7	6	5	6	4	6	5	1	1	5	1	5	8	7	6	7	5	8
Dropsy	9	..	1	1	..	4	2	4	..	1	1	..	..	..	..	2	3	1	3
Fever	10	..	1	2	1	3	1	2	5	1	..	1	4	5	2	6	6	3	3
Head, of	11	2	4	4	9	..	2	3	2	..	1	..	..	1	1	..	..	..	2
Heart, of	12	..	..	..	..	1	1	2	1	..	..	..	..	..	..	1	..	1	..
Hooping Cough	13	3	7	8	4	2	7	..	1	..	..	..	..	..	..	..	..	..	..
Inflammation	14	7	8	..	3	5	6	..	..	2	1	2	..	2	3	3	3	1	1
Measles	15	6	5	4	8	9	4	3	3	..	..	..	..	..	..	..	..	..	..
Nervous	16	1	2	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Scarlet Fever	17	2	4	..	3	4	8	5	3	..	..	..	..	..	..	..	..	..	1
Small-Pox	18	12	5	3	6	7	1	2	1	1	1	..	..	..	1	..	..	..	..
Miscellaneous	19	2	..	..	1	2	1	1	1	..	..	1	1	1	..	4	4	3	5
Total ascertained	20	66	69	42	52	47	43	33	19	8	9	8	10	19	17	26	29	18	25
Not ascertained	21	4	4	1	1	..	..	..	3	..	1	..	..	2	..	1	1	..	..
Total	22	70	73	43	53	47	43	33	22	8	10	8	10	21	17	27	30	18	25

DISEASES.	No.	AGES. 50 and under 60 M.	F.	60 and under 70 M.	F.	70 and under 75 M.	F.	75 and under 80 M.	F.	80 and under 85 M.	F.	85 and under 90 M.	F.	90 and under 95 M.	F.	95 and under 100 M.	F.	100 and Upward. M.	F.	TOTAL. M.	F.	Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Month. 1 to every	2d.—To the Population. 1 to every	No.
Accidents	1	..	..	2	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	13	3	16	43·50	18225·00	1
Aged	2	..	..	7	21	2	4	8	6	2	5	2	2	1	1	..	..	..	..	22	39	61	11·40	4780·32	2
Asthma	3	..	..	9	2	1	1	..	..	1	..	..	..	..	..	..	..	..	..	14	6	20	34·80	14580·00	3
Bowel Complaints	4	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	37	34	71	9·80	4107·04	4
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	3	9	77·33	32400·00	5
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	174·00	72900·00	6
Croup	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	9	19	36·63	15347·36	7
Decline	8	5	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	47	58	105	6·62	2777·14	8
Dropsy	9	3	3	1	4	2	2	..	..	1	..	..	..	..	..	..	..	..	..	19	20	39	17·84	7476·92	9
Fever	10	3	2	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	30	25	55	12·65	5301·81	10
Head, of	11	..	..	1	3	1	1	..	..	..	..	..	..	..	..	..	..	..	..	12	25	37	18·81	7881·08	11
Heart, of	12	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	6	2	8	87·00	36450·00	12
Hooping Cough	13	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	19	32	21·75	9112·50	13
Inflammation	14	1	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	24	27	51	13·64	5717·64	14
Measles	15	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	22	20	42	16·57	6942·85	15
Nervous	16	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	6	116·00	48600·00	16
Scarlet Fever	17	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	19	30	23·20	9720·00	17
Small-Pox	18	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25	15	40	17·40	7290·00	18
Miscellaneous	19	..	..	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	16	14	30	23·20	9720·00	19
Total ascertained	20	13	13	27	34	9	9	8	6	3	7	2	2	1	1	..	..	..	..	330	345	675	1·03	432·00	20
Not ascertained	21	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	12	21	33·14	13885·71	21
Total	22	14	15	27	34	9	9	8	6	3	7	2	2	1	1	..	..	..	..	339	357	696	1·00	418·96	22

TABLE TWENTY-FIRST.

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have died at Eighteen Periods of life, during the Month of March, 1842, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

MARCH, 1842.

DISEASES.	No.	AGES. Under 1 Year. M.	F.	1 and under 2 M.	F.	2 and under 5 M.	F.	5 and under 10 M.	F.	10 and under 15 M.	F.	15 and under 20 M.	F.	20 and under 30 M.	F.	30 and under 40 M.	F.	40 and under 50 M.	F.	50 and under 60 M.	F.	60 and under 70 M.	F.	70 and under 75 M.	F.	75 and under 80 M.	F.	80 and under 85 M.	F.	85 and under 90 M.	F.	90 and under 95 M.	F.	95 and under 100 M.	F.	100 and Upward. M.	F.	TOTAL. M.	F.	Grand Total	PROPORTIONS. 1st.—To the whole number of Deaths during the Month: 1 to every	2d.—To the Population: 1 to every	No.
Accidents	1	..	..	..	..	..	1	1	..	1	..	..	..	0	1	0	..	..	..	..	1	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	17	5	22	29·50	13254·54	1
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	10	2	0	6	4	4	5	2	1	..	1	..	..	..	..	..	..	20	29	49	13·24	5930·61	2
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	2	..	2	2	3	..	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	5	10	15	43·26	19440·00	3
Bowel Complaints	4	20	10	7	5	3	3	2	..	..	1	..	..	2	..	..	..	..	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	44	21	65	9·98	4486·15	4
Catarrh	5	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	216·33	97200·00	5
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	162·25	72000·00	6
Croup	7	2	1	..	3	2	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	7	12	54·08	24300·00	7
Decline	8	2	0	5	7	7	3	1	4	4	2	5	4	13	15	5	7	3	7	5	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	50	62	112	5·79	2603·57	8
Dropsy	9	1	1	..	..	3	..	3	1	2	..	..	1	..	..	..	1	3	3	4	4	1	2	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	20	14	34	19·08	8576·47	9
Fever	10	2	..	1	1	4	2	..	2	..	1	..	7	4	5	6	4	6	5	2	2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	28	29	57	11·38	5115·78	10
Head, of	11	7	3	2	4	3	3	1	2	..	1	..	..	..	..	1	1	1	2	2	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	19	37	17·54	7881·08	11
Heart, of	12	1	2	..	1	1	..	..	1	1	1	..	1	1	..	1	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	6	13	49·92	22430·76	12
Hooping Cough	13	..	1	3	3	3	4	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	8	15	43·26	19440·00	13
Inflammation	14	2	3	0	3	2	1	3	3	1	..	1	2	1	1	1	..	3	1	1	1	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	24	17	41	15·82	7112·19	14
Measles	15	4	5	5	3	5	6	2	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	17	17	34	19·08	8576·47	15
Nervous	16	3	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	7	92·71	41657·14	16
Scarlet Fever	17	1	1	3	3	4	4	3	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	10	22	29·50	13254·54	17
Small-Pox	18	13	10	5	6	11	5	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	31	22	53	12·24	5501·88	18
Miscellaneous	19	3	4	1	1	3	3	..	1	..	2	..	..	1	..	1	2	2	1	..	3	3	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	21	35	18·54	8331·42	19
Total ascertained	20	70	50	39	40	51	37	19	18	11	11	6	15	28	23	23	17	19	22	18	21	22	22	5	15	6	4	5	6	2	1	..	..	1	..	..	..	..	..	325	305	630	1·03	462·85	20
Not ascertained	21	4	3	..	1	..	1	..	..	..	..	..	..	..	1	3	..	..	3	1	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	9	10	19	34·15	15347·36	21
Total	22	74	53	39	41	51	38	19	18	11	11	6	15	28	24	26	17	19	25	19	21	22	22	5	15	6	5	5	6	3	1	..	..	1	..	..	..	..	..	334	315	649	1·00	449·30	22

TABLE TWENTY-SECOND.

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have Died at Eighteen Periods of life, during the Month of April, 1842, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

APRIL, 1842.

Accidents	1	..	..	1	..	1	..	..	..	..	..	..	..	1	1	..	..	1	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	3	9	63·88	32400·00	1
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	7	3	8	2	5	2	3	2	..	..	..	..	..	..	..	..	..	12	21	33	17·42	8836·36	2
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	3	3	2	2	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	7	8	15	38·33	19440·00	3
Bowel Complaints	4	17	10	11	7	1	1	..	4	..	..	..	1	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	25	54	10·64	5400·00	4
Catarrh	5	..	1	..	..	..	..	..	1	1	..	..	..	1	..	..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	7	82·14	41657·14	5
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	7	82·14	41657·14	6
Croup	7	3	2	2	..	4	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	9	18	31·94	16200·00	7
Decline	8	4	4	3	4	10	11	2	5	6	3	4	1	11	11	5	9	9	5	6	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	60	57	117	4·91	2492·30	8
Dropsy	9	..	..	..	1	..	1	..	3	..	1	..	1	1	1	1	2	2	2	2	2	1	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	16	24	23·95	12150·00	9
Fever	10	1	2	1	3	1	5	1	5	..	1	1	..	3	2	3	2	1	2	1	..	2	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	24	40	14·37	7290·00	10
Head, of	11	5	3	6	6	3	2	3	4	..	1	..	..	3	..	..	..	2	..	..	1	1	1	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	24	19	43	13·37	6781·39	11
Heart, of	12	..	..	..	..	..	..	..	1	1	..	..	2	1	1	..	..	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	4	9	63·88	32400·00	12
Hooping Cough	13	4	4	4	1	5	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	9	22	26·13	13254·54	13
Inflammation	14	3	2	5	4	2	1	2	1	..	..	1	..	..	3	1	1	1	..	1	2	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	15	33	17·42	8836·36	14
Measles	15	4	3	9	4	4	8	2	3	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	19	21	40	14·37	7290·00	15
Nervous	16	..	1	2	..	..	..	..	1	..	1	..	..	..	1	2	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	5	4	9	63·88	32400·00	16
Scarlet Fever	17	..	1	1	1	5	8	7	2	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	12	26	22·11	11215·38	17
Small-Pox	18	2	6	1	5	1	4	2	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	16	24	23·95	12150·00	18
Miscellaneous	19	5	2	4	1	1	2	2	2	..	..	..	..	..	1	2	2	1	..	2	1	1	..	..	..	1	..	..	1	1	..	..	..	..	..	..	..	..	..	20	12	32	17·96	9112·50	19
Total ascertained	20	48	41	50	37	38	52	21	35	9	9	7	6	23	24	14	19	19	15	16	14	16	14	7	9	5	4	2	5	3	..	..	..	..	..	..	..	..	..	278	284	562	1·02	518·86	20
Not ascertained	21	1	2	..	..	1	1	..	..	..	..	..	..	1	..	1	1	1	..	..	..	2	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	5	13	44·23	22430·76	21
Total	22	49	43	51	37	39	53	21	35	9	9	7	6	24	24	15	20	20	15	16	14	18	15	8	9	5	4	2	5	3	..	..	..	..	..	..	..	..	..	286	289	575	1·00	507·13	22

TABLE

TABLE exhibiting, under the different Ages, the amount of those Diseases of which the Persons classified according to the Form given in the Appendix, and also the Proportions which

MAY,

DISEASES.	No.	AGES. Under 1 Year.		1 and under 2		2 and under 5		5 and under 10		10 and under 15		15 and under 20		20 and under 30		30 and under 40		40 and under 50	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Accidents	1	..	..	1	..	..	1	..	..	3	1	3	..	3	1	3	1	..	1
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1
Bowel Complaints	4	30	14	5	7	3	1	..	..	..	..	..	..	..	1	..	..	2	..
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..	..
Croup	7	2	1	2	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..
Decline	8	4	9	6	1	8	7	5	3	4	3	7	5	12	5	10	9	2	10
Dropsy	9	1	..	..	..	..	..	2	..	..	2	..	..	..	..	2	..	1	2
Fever	10	..	1	..	..	3	1	..	4	1	1	1	..	2	1	4	3	5	2
Head, of	11	7	10	1	5	10	3	4	2	1	..	1	..	..	1	4	..	..	3
Heart, of	12	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..
Hooping Cough	13	5	4	1	6	1	2	1	1	..	..	..	..	..	..	..	..	..	..
Inflammation	14	4	6	5	1	4	..	1	..	..	..	1	3	3	4	1	3	3	1
Measles	15	8	8	9	16	11	14	2	..	1	..	1	..	..	..	..	..	..	..
Nervous	16	2	..	1	1	..	..	..	..	..	..	..	..	1	..	..	..	2	..
Scarlet Fever	17	..	1	2	7	4	2	2	2	1	2	..	1	1	..	..	..	..	..
Small-Pox	18	9	4	2	4	4	5	2	1	..	3	1	..	1	..	..	..	..	..
Miscellaneous	19	2	4	..	1	2	2	1	..	..	..	..	3	1	2	4	2	2	..
Total ascertained	20	75	62	35	50	51	39	21	13	11	12	15	13	24	18	28	20	17	20
Not ascertained	21	2	1	1	1	2	1	..	..	..	..	..	..	..	1	..	..	..	..
Total	22	77	63	36	51	53	40	21	13	11	12	15	13	24	19	28	20	17	20

TABLE

TABLE exhibiting, under the different Ages, the amount of those Diseases of which the Persons classified according to the Form given in the Appendix, and also the Proportions which

JUNE,

Accidents	1	..	..	..	..	..	1	3	..	2	..	3	..	..	..	1	..	2	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..
Bowel Complaints	4	26	26	2	8	1	2	2	1	1	1	..	..	..	..	..	..	..	..
Catarrh	5	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	5	..	1
Croup	7	1	2	1	..	2	..	..	..	..	1	..	..	..	..	..	..	..	..
Decline	8	..	6	9	3	3	1	1	3	4	3	3	8	11	10	7	17	8	10
Dropsy	9	1	..	..	..	..	1	..	..	..	1	..	1	..	..	..	1	1	..
Fever	10	1	..	1	1	2	2	2	2	1	1	..	..	2	..	3	1	5	3
Head, of	11	4	2	1	1	6	3	..	1	..	2	..	..	1	1	2	1	1	1
Heart, of	12	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..
Hooping Cough	13	5	4	1	5	4	..	..	2	..	..	..	..	..	..	..	..	1	..
Inflammation	14	3	2	5	3	1	3	..	2	1	1	..	1	1	6	1	2	1	2
Measles	15	10	15	9	11	5	14	1	2	..	..	..	..	..	..	..	..	..	..
Nervous	16	4	1	..	..	1	..	..	..	1	..	..	1	1	2	..	..	1	1
Scarlet Fever	17	..	..	2	1	4	3	2	1	..	1	..	..	1	..	..	..	..	..
Small-Pox	18	9	6	6	3	1	..	1	2	..	..	..	..	..	..	1	..	..	..
Miscellaneous	19	4	1	3	1	1	..	..	1	..	..	..	2	1	2	4	2	1	3
Total ascertained	20	68	65	41	37	31	30	12	18	10	11	6	13	18	22	23	30	22	21
Not ascertained	21	3	4	..	2	1	2	..	..	..	..	..	..	1	..	..	..	..	..
Total	22	71	69	41	39	32	32	12	18	10	11	6	13	19	22	23	30	22	21

TWENTY-THIRD.

are reported to have Died, at Eighteen Periods of life, during the Month of May, 1842, these bear to the whole number of Deaths during the Month, as well as to the Population.

1842.

AGES. 50 and under 60		60 and under 70		70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100		100 and Upward.		TOTAL.		Grand Total.	PROPORTIONS. 1st. To the whole number of Deaths during the Month. 1 to every	2d.—To the Population. 1 to every	No.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	16	5	21	20·26	13885·71	1
..	..	8	6	4	4	5	4	1	7	..	2	..	2	..	..	..	..	18	25	43	14·48	6781·39	2
4	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	7	80·00	41657·14	3
..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	41	25	66	9·43	4418·18	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	207·66	97200·00	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	3	9	69·22	32400·00	7
2	0	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	60	61	121	5·14	2409·91	8
2	3	1	2	1	..	..	..	1	..	..	..	..	..	..	..	..	..	11	9	20	31·15	14580·00	9
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	13	29	21·48	10055·17	10
1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	29	25	54	11·53	5400·00	11
..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	2	3	5	124·60	58320·00	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	13	21	29·66	13885·71	13
2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	25	18	43	14·48	6781·39	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	32	38	70	8·90	4165·71	15
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	2	8	77·87	36450·00	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	15	25	24·92	11664·00	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	19	17	36	17·30	8100·00	18
2	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	16	16	32	19·46	9112·50	19
15	14	11	13	8	5	6	4	2	7	..	2	..	2	..	..	..	..	319	294	613	1·01	475·69	20
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	4	10	62·30	29160·00	21
15	14	12	13	8	5	6	4	2	7	..	2	..	2	..	..	..	..	325	298	623	1·00	468·05	22

TWENTY-FOURTH.

are reported to have died, at Eighteen Periods of life, during the Month of June, 1842, these bear to the whole number of Deaths during the Month, as well as to the Population.

1842.

1	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	14	1	15	39·46	19440·00	1
..	..	9	3	5	5	2	5	5	6	3	..	1	1	..	..	..	..	25	20	45	13·15	6480·00	2
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	4	148·00	72900·00	3
1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	34	39	73	8·10	3994·52	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	296·00	145800·00	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	7	84·57	41657·14	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	7	84·57	41657·14	7
5	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	51	64	115	5·14	2535·65	8
3	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	6	6	12	49·33	24300·00	9
4	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	22	12	34	17·41	8576·47	10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	12	27	21·92	10800·00	11
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	4	148·00	72900·00	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	11	22	26·90	13254·54	13
2	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	17	23	40	14·80	7290·00	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25	42	67	8·83	4352·23	15
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	6	14	42·28	20828·57	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	6	15	39·46	19440·00	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	11	29	20·41	10055·17	18
5	7	2	4	..	1	..	..	1	1	..	..	..	..	..	..	..	..	22	25	47	12·59	6204·25	19
21	17	15	7	7	6	3	6	7	7	3	..	1	1	..	..	..	..	288	291	579	1·02	503·62	20
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	8	13	45·53	22430·76	21
21	17	15	7	7	6	3	6	7	7	3	..	1	1	..	..	..	..	293	299	592	1·00	492·56	22

TABLE TWENTY-FIFTH.

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have Died, at Eighteen Periods of life, during the Month of July, 1842, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

JULY, 1842.

DISEASES.	No.	AGES. Under 1 Year. M.	F.	1 and under 2 M.	F.	2 and under 5 M.	F.	5 and under 10 M.	F.	10 and under 15 M.	F.	15 and under 20 M.	F.	20 and under 30 M.	F.	30 and under 40 M.	F.	40 and under 50 M.	F.
Accidents	1	..	..	..	..	..	..	3	..	2	..	2	..	1	2	2	2	..	1
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	..
Bowel Complaints	4	33	22	11	8	3	5	..	1	..	..	1	1	1	..	1	..	..	..
Catarrh	5	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	1
Croup	7	2	1	1	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..
Decline	8	12	7	4	4	4	6	2	5	1	1	7	3	12	11	6	2	6	4
Dropsy	9	1	..	..	..	1	1	3	2	2	..	..	..	..	2	1	2	1	2
Fever	10	1	..	2	1	2	..	1	2	1	1	..	1	2	1	4	3	5	2
Head, of	11	8	5	8	5	2	3	..	1	..	..	1	..	..	1	2	..	3	1
Heart, of	12	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Hooping Cough	13	8	2	..	2	1	4	1	1	..	..	..	..	..	..	..	..	..	..
Inflammation	14	2	5	2	..	4	..	3	1	2	..	..	1	1	..	1	..	1	..
Measles	15	3	3	15	20	12	11	4	2	..	..	..	1	1	..	..	..	..	..
Nervous	16	..	..	3	..	..	1	1	..	..	1	..	..	..	..	..	..	2	1
Scarlet Fever	17	..	..	1	2	2	4	1	3	..	..	..	..	..	..	..	..	..	..
Small-Pox	18	5	2	1	6	3	4	..	2	..	..	..	..	..	..	1	..	..	..
Miscellaneous	19	5	3	..	2	1	1	..	2	2	1	1	..	..	1	5	5	4	2
Total ascertained	20	81	50	49	50	35	42	20	22	10	4	12	7	18	21	23	15	23	14
Not ascertained	21	3	2	3	1	1	..	..	..	1	..	..	..	1	1	..	1	..	1
Total	22	84	52	52	51	36	42	20	22	11	4	12	7	19	22	23	16	23	15

DISEASES.	No.	50 and under 60 M.	F.	60 and under 70 M.	F.	70 and under 75 M.	F.	75 and under 80 M.	F.	80 and under 85 M.	F.	85 and under 90 M.	F.	90 and under 95 M.	F.	95 and under 100 M.	F.	100 and Upward. M.	F.	TOTAL. M.	F.	Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Month. 1 to every	2d.—To the Population. 1 to every	No.
Accidents	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	6	16	38·62	18225·00	1
Aged	2	..	..	5	8	5	8	3	7	2	8	1	3	1	3	..	1	..	..	17	38	55	11·23	5301·81	2
Asthma	3	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	6	103·00	48600·00	3
Bowel Complaints	4	..	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	51	40	91	6·79	3204·39	4
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	618·00	291600·00	5
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	206·00	97200·00	6
Croup	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	7	88·28	41657·14	7
Decline	8	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	58	45	103	6·00	2831·06	8
Dropsy	9	1	..	2	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	13	10	23	26·86	12678·26	9
Fever	10	..	2	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	15	35	17·65	8331·42	10
Head, of	11	1	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	29	18	47	13·14	6204·25	11
Heart, of	12	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	309·00	145800·00	12
Hooping Cough	13	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	9	19	32·52	15347·36	13
Inflammation	14	1	1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	18	9	27	22·88	10800·00	14
Measles	15	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	35	37	72	8·58	4050·00	15
Nervous	16	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	6	4	10	61·80	29160·00	16
Scarlet Fever	17	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	9	13	47·53	22430·76	17
Small-Pox	18	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	14	24	25·75	12150·00	18
Miscellaneous	19	1	3	2	2	1	..	..	..	1	..	..	1	..	..	..	..	..	..	23	23	46	13·43	6339·13	19
Total ascertained	20	11	12	16	14	7	11	4	7	3	9	1	4	1	3	..	1	..	..	314	286	600	1·03	486·00	20
Not ascertained	21	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	7	18	34·33	16200·00	21
Total	22	13	12	16	15	7	11	4	7	3	9	1	4	1	3	..	1	..	..	325	293	618	1·00	471·84	22

TABLE TWENTY-SIXTH.

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have Died, at Eighteen Periods of life, during the Month of August, 1842, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

AUGUST, 1842.

DISEASES.	No.	AGES. Under 1 Year. M.	F.	1 and under 2 M.	F.	2 and under 5 M.	F.	5 and under 10 M.	F.	10 and under 15 M.	F.	15 and under 20 M.	F.	20 and under 30 M.	F.	30 and under 40 M.	F.	40 and under 50 M.	F.
Accidents	1	..	..	..	..	1	2	..	1	..	..	7	1	..	1	4	..	..	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	2	..
Bowel Complaints	4	39	37	15	17	6	..	1	1	..	..	1	..	1	2	2	2	1	1
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	3	..	1
Croup	7	2	..	1	1	2	1	..	..	..	..	..	..	..	..	..	..	..	..
Decline	8	11	5	8	7	3	8	1	..	1	4	6	3	8	10	7	6	4	9
Dropsy	9	1	..	..	..	1	..	1	..	..	..	..	..	2	2	1	2	2	1
Fever	10	..	1	1	..	1	3	1	1	1	2	1	2	3	4	4	2	5	2
Head, of	11	11	9	6	3	4	..	..	2	1	1	..	..	..	..	2	..	1	3
Heart, of	12	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..
Hooping Cough	13	8	6	7	4	..	3	1	..	..	..	..	..	..	..	..	..	..	..
Inflammation	14	3	2	4	1	2	1	..	1	..	1	..	1	1	1	1	2	2	2
Measles	15	7	8	9	5	7	6	2	1	..	..	..	..	..	..	..	..	..	..
Nervous	16	3	1	1	1	..	..	1	..	..	..	..	..	..	..	..	1	..	..
Scarlet Fever	17	..	2	3	1	2	2	3	2	..	2	..	1	..	..	..	..	..	..
Small-Pox	18	5	4	2	5	4	2	1	..	..	..	1	2	1	..	..	..	..	..
Miscellaneous	19	10	3	2	4	1	3	1	..	..	1	1	1	..	1	5	2	2	1
Total ascertained	20	100	78	59	49	34	31	13	9	3	11	17	11	18	22	26	21	20	20
Not ascertained	21	3	4	..	2	1	..	2	..	..	..	..	..	1	..	..	..	..	1
Total	22	103	82	59	51	35	31	15	9	3	11	17	11	19	22	26	21	20	21

DISEASES.	No.	50 and under 60 M.	F.	60 and under 70 M.	F.	70 and under 75 M.	F.	75 and under 80 M.	F.	80 and under 85 M.	F.	85 and under 90 M.	F.	90 and under 95 M.	F.	95 and under 100 M.	F.	100 and Upward. M.	F.	TOTAL. M.	F.	Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Month. 1 to every	2d.—To the Population. 1 to every	No.
Accidents	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	13	6	19	34·94	15347·36	1
Aged	2	..	..	6	13	1	9	2	3	1	4	1	..	..	1	..	..	..	..	11	30	41	16·19	7112·19	2
Asthma	3	1	1	1	..	3	1	..	..	..	..	..	1	..	..	..	..	..	..	8	4	12	55·33	24300·00	3
Bowel Complaints	4	5	5	..	2	2	2	1	..	..	..	..	..	..	..	..	..	..	..	74	69	143	4·64	2039·16	4
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	0·00	. .	5
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	5	132·80	58320·00	6
Croup	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	7	94·85	41657·14	7
Decline	8	7	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	56	55	111	5·98	2627·02	8
Dropsy	9	2	..	..	2	..	..	..	2	..	..	..	..	..	..	..	..	..	..	10	9	19	34·74	15347·36	9
Fever	10	..	3	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	18	22	40	16·60	7290·00	10
Head, of	11	..	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25	21	46	14·43	6339·13	11
Heart, of	12	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	332·00	145800·00	12
Hooping Cough	13	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	13	29	22·89	10055·17	13
Inflammation	14	1	1	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	16	14	30	22·13	9720·00	14
Measles	15	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25	20	45	14·75	6480·00	15
Nervous	16	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	7	3	10	66·40	29160·00	16
Scarlet Fever	17	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	10	18	36·88	16200·00	17
Small-Pox	18	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	13	27	24·59	10800·00	18
Miscellaneous	19	..	..	2	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	24	21	45	14·75	6480·00	19
Total ascertained	20	17	14	9	26	10	13	4	6	1	4	1	1	..	1	..	..	..	..	332	317	649	1·02	449·30	20
Not ascertained	21	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	7	8	15	44·26	19440·00	21
Total	22	17	14	9	26	10	14	4	6	1	4	1	1	..	1	..	..	..	..	339	325	664	1·00	439·15	22

TABLE TWENTY-SEVENTH.

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have died at Eighteen Periods of life, during the Month of September, 1842, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

SEPTEMBER, 1842.

DISEASES.	No.	AGES. Under 1 Year. M.	F.	1 and under 2 M.	F.	2 and under 5 M.	F.	5 and under 10 M.	F.	10 and under 15 M.	F.	15 and under 20 M.	F.	20 and under 30 M.	F.	30 and under 40 M.	F.	40 and under 50 M.	F.
Accidents	1	..	1	1	..	1	..	..	..	1	..	1	..	2	..	1	..	3	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1
Bowel Complaints	4	47	28	22	15	2	1	..	1	..	..	1	..	1	..	..	..	1	..
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	4	..	..
Croup	7	1	2	..	2	3	3	..	..	..	..	..	..	..	..	..	..	..	..
Decline	8	5	6	10	6	8	3	2	..	3	4	2	1	10	6	5	5	4	6
Dropsy	9	..	..	1	..	..	1	2	..	1	2	..	..	..	..	1	3	3	..
Fever	10	1	1	1	1	1	2	..	1	..	..	..	1	2	2	1	3	5	1
Head, of	11	8	7	5	3	2	..	3	..	..	..	..	..	..	1	..	..	..	1
Heart, of	12	..	1	1	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..
Hooping Cough	13	6	1	5	4	3	5	..	..	..	..	..	..	..	..	..	..	..	..
Inflammation	14	3	5	3	1	..	3	5	1	1	2	1	3	..	..	1	3	1	2
Measles	15	2	3	3	10	6	8	2	2	1	..	..	..	..	..	..	..	..	..
Nervous	16	1	4	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Scarlet Fever	17	..	..	1	2	4	1	1	2	..	1	1	1	..	1	..	..	..	..
Small-Pox	18	5	..	2	1	1	1	..	1	..	1	..	..	..	..	..	..	..	..
Miscellaneous	19	3	3	4	2	..	..	..	1	..	..	..	..	..	3	2	2	..	2
Total ascertained	20	82	62	59	48	31	28	15	9	7	10	6	6	15	16	13	21	17	13
Not ascertained	21	3	1	1	2	..	..	..	..	..	..	..	1	1	1	..	..	1	1
Total	22	85	63	60	50	31	28	15	9	7	10	6	7	16	17	13	21	18	14

DISEASES.	AGES. 50 and under 60 M.	F.	60 and under 70 M.	F.	70 and under 75 M.	F.	75 and under 80 M.	F.	80 and under 85 M.	F.	85 and under 90 M.	F.	90 and under 95 M.	F.	95 and under 100 M.	F.	100 and Upward. M.	F.	TOTAL. M.	F.	Grand Total	PROPORTIONS. 1st.—To the whole number of Deaths during the Month. 1 to every	2d.—To the Population. 1 to every	No.
Accidents	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	1	12	46·58	24300·00	1
Aged	..	..	10	7	4	3	5	6	2	3	..	2	2	1	..	..	..	..	23	22	45	12·42	6480·00	2
Asthma	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	5	111·80	58320·00	3
Bowel Complaints	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	76	47	123	4·54	2370·73	4
Catarrh	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	. .	. .	5
Child-birth	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	7	79·85	41657·14	6
Croup	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	7	12	46·58	24300·00	7
Decline	1	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	50	44	94	5·94	3102·12	8
Dropsy	1	2	2	1	..	3	..	1	..	..	..	..	..	..	..	..	..	..	11	13	24	23·29	12150·00	9
Fever	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	12	24	23·29	12150·00	10
Head, of	..	1	2	..	2	..	..	1	..	..	..	..	..	..	..	..	..	..	22	14	36	15·52	8100·00	11
Heart, of	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	2	5	111·80	58320·00	12
Hooping Cough	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	10	24	23·20	12150·00	13
Inflammation	..	1	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	21	39	14·33	7476·92	14
Measles	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	14	23	37	15·10	7881·08	15
Nervous	..	..	..	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	1	8	9	62·11	32400·00	16
Scarlet Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	8	15	37·26	19440·00	17
Small-Pox	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	4	12	46·58	24300·00	18
Miscellaneous	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	14	24	23·29	12150·00	19
Total ascertained	5	13	23	11	6	7	5	8	2	4	..	2	2	1	..	..	..	..	288	259	547	1·02	533·08	20
Not ascertained	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	6	12	46·58	24300·00	21
Total	5	13	23	11	6	7	5	8	2	4	..	2	2	1	..	..	..	..	294	265	559	1·00	521·64	22

TABLE TWENTY-EIGHTH.

Table exhibiting, under the different Ages, the amount of those Diseases of which the Persons are reported to have Died at Eighteen Periods of life, during the Month of October, 1842, classified according to the Form given in the Appendix, and also the Proportions which these bear to the whole number of Deaths during the Month, as well as to the Population.

OCTOBER, 1842.

DISEASES.	No.	Under 1 Year. M.	F.	1 and under 2 M.	F.	2 and under 5 M.	F.	5 and under 10 M.	F.	10 and under 15 M.	F.	15 and under 20 M.	F.	20 and under 30 M.	F.	30 and under 40 M.	F.	40 and under 50 M.	F.
Accidents	1	1	1	..	..	2	1	..	2	1	..	..	..	2	..	1	..	1	2
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	1	..
Bowel Complaints	4	23	22	11	8	2	2	..	1	1	..	1	..	1	1	3	1	..	3
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	2	..	3	..	5	..	1
Croup	7	2	..	2	1	2	1	..	..	..	..	..	..	..	..	..	..	..	..
Decline	8	4	3	4	1	2	5	1	2	3	..	2	2	6	8	10	6	4	4
Dropsy	9	..	1	..	..	1	1	2	..	..	..	2	..	1	1	..	3	2	..
Fever	10	2	1	1	..	3	..	..	2	..	..	1	1	..	2	3	2	2	1
Head, of	11	6	7	4	3	2	1	..	..	1	..	..	..	..	1	..	..	2	..
Heart, of	12	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Hooping Cough	13	3	5	6	7	4	7	2	1	..	..	..	..	..	..	..	..	..	..
Inflammation	14	2	3	2	1	2	1	2	1	1	2	..	..	1	1	3	..	4	2
Measles	15	2	5	5	2	5	7	1	3	..	1	..	..	..	..	..	..	..	..
Nervous	16	1	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
Scarlet Fever	17	4	1	2	1	2	7	2	4	..	..	..	..	..	..	..	..	..	..
Small-Pox	18	1	..	2	2	..	..	..	..	..	..	..	..	..	..	1	..	1	..
Miscellaneous	19	4	2	4	1	..	..	..	..	2	..	2	1	4	1	1	2	2	4
Total ascertained	20	55	52	44	27	27	34	10	16	9	3	9	6	15	19	22	20	19	17
Not ascertained	21	2	1	1	..	1	..	..	..	1	..	..	1	2	..	1	1	..	..
Total	22	57	53	45	27	28	34	10	16	10	3	9	7	17	19	23	21	19	17

DISEASES.	AGES. 50 and under 60 M.	F.	60 and under 70 M.	F.	70 and under 75 M.	F.	75 and under 80 M.	F.	80 and under 85 M.	F.	85 and under 90 M.	F.	90 and under 95 M.	F.	95 and under 100 M.	F.	100 and Upward. M.	F.	TOTAL. M.	F.	Grand Total	PROPORTIONS. 1st.—To the whole number of Deaths during the Month. 1 to every	2d.—To the Population. 1 to every	No.
Accidents	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	9	7	16	32·00	18225·00	1
Aged	..	..	6	5	1	6	6	5	8	3	..	1	..	1	..	..	..	..	21	21	42	12·19	6942·85	2
Asthma	..	..	..	3	1	1	..	..	..	..	..	..	..	..	..	..	..	..	3	5	8	64·00	36450·00	3
Bowel Complaints	..	2	3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	45	41	86	5·95	3390·69	4
Catarrh	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	. .	. .	5
Child-birth	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	11	46·54	26509·09	6
Croup	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	3	9	56·88	32400·00	7
Decline	6	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	42	35	77	6·64	3787·01	8
Dropsy	2	2	1	1	1	2	..	..	..	..	..	..	..	..	..	..	..	..	12	11	23	22·26	12678·26	9
Fever	3	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	11	26	19·69	11215·38	10
Head, of	1	..	..	..	2	2	..	..	..	..	..	..	..	..	..	..	..	..	18	14	32	16·00	9112·50	11
Heart, of	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	512·00	291600·00	12
Hooping Cough	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	20	35	14·62	8331·42	13
Inflammation	1	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	19	13	32	16·00	9112·50	14
Measles	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	18	31	16·51	9406·45	15
Nervous	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	4	128·00	72900·00	16
Scarlet Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	13	23	22·26	12678·26	17
Small-Pox	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	7	73·14	41657·14	18
Miscellaneous	3	1	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	23	13	36	14·22	8100·00	19
Total ascertained	16	12	10	14	6	11	6	5	9	3	1	1	..	1	..	..	..	..	258	241	499	1·02	584·36	20
Not ascertained	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	4	13	39·38	22430·76	21
Total	16	13	11	14	6	11	6	5	9	3	1	1	..	1	..	..	..	..	267	245	512	1·00	569·53	22

TABLE

TABLE exhibiting, under the different Ages, the amount of those Diseases of which the Persons classified according to the Form given in the Appendix, and also the Proportions which

NOVEMBER,

DISEASES.	No.	AGES. Under 1 Year.		1 and under 2		2 and under 5		5 and under 10		10 and under 15		15 and under 20		20 and under 30		30 and under 40		40 and under 50	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Accidents	1	..	..	..	1	2	2	1	1	..	1	2	..	1	..	2	..	..	1
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	1
Bowel Complaints	4	21	9	5	3	1	2	..	..	..	..	..	1	1	1	..	1	1	1
Catarrh	5	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	1
Croup	7	2	2	2	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..
Decline	8	4	2	..	5	2	3	1	..	..	2	1	5	6	9	9	11	5	4
Dropsy	9	1	..	..	1	1	..	..	1	..	..	..	..	2	..	1	1	2	2
Fever	10	3	..	1	..	1	2	1	4	..	..	..	..	2	..	3	..	4	3
Head, of	11	4	7	5	5	4	1	4	2	..	..	..	..	..	..	..	..	2	..
Heart, of	12	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	1	1	..
Hooping Cough	13	5	6	5	7	7	11	1	2	..	..	..	..	..	..	..	..	..	..
Inflammation	14	8	7	9	2	2	2	1	1	..	..	2	..	3	4	3	3	3	..
Measles	15	3	8	4	4	5	8	..	2	1	..	..	1	..	..	..	..	..	..
Nervous	16	4	1	1	..	..	..	..	..	1	..	..	..	..	1	..	1	..	..
Scarlet Fever	17	1	2	3	3	1	4	1	2	..	..	..	..	..	..	..	..	..	..
Small-Pox	18	..	3	3	2	3	1	..	..	..	1	..	..	..	..	..	..	..	..
Miscellaneous	19	4	2	3	..	1	2	2	..	1	..	1	..	6	3	2	1	..	4
Total ascertained	20	63	49	41	33	32	39	12	16	3	4	7	7	22	20	21	20	20	17
Not ascertained	21	3	1	1	1	1	..	..	..	..	..	..	..	..	1	2	..	1	..
Total	22	66	50	42	34	33	39	12	16	3	4	7	7	22	21	23	20	21	17

TABLE

TABLE exhibiting, under the different Ages, the amount of those Diseases of which the Persons classified according to the Form given in the Appendix, and also the Proportions which

DECEMBER,

Accidents	1	..	..	..	..	..	..	2	..	3	..	1	..	4	1	1	..	..	..
Aged	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asthma	3	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	2	1
Bowel Complaints	4	15	19	3	5	2	3	..	2	1	..	..	..	..	..	1	1	1	2
Catarrh	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Child-birth	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..
Croup	7	1	2	2	4	4	1	..	..	..	..	..	..	..	..	..	..	..	..
Decline	8	9	6	4	5	2	3	1	..	1	..	6	2	7	6	4	5	5	4
Dropsy	9	3	..	..	..	..	..	..	..	1	..	..	..	..	2	..	2	1	1
Fever	10	2	..	1	..	3	..	2	2	..	..	..	1	5	3	2	2	4	7
Head, of	11	7	2	1	4	5	6	1	2	..	..	..	..	1	..	..	..	2	2
Heart, of	12	..	..	..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..
Hooping Cough	13	3	8	5	4	4	4	..	..	..	..	..	..	..	..	..	..	..	..
Inflammation	14	6	2	5	6	4	5	1	1	3	..	1	..	..	4	1	1	2	1
Measles	15	4	5	5	3	9	11	..	2	..	1	..	..	..	..	..	..	..	..
Nervous	16	1	2	..	..	..	..	..	1	1	..	..	..	..	..	..	1	..	..
Scarlet Fever	17	..	2	1	3	7	4	1	2	..	..	..	..	..	..	..	..	..	..
Small-Pox	18	3	..	1	1	3	1	..	2	..	..	..	..	..	..	..	..	..	..
Miscellaneous	19	2	..	..	1	1	3	..	1	1	..	1	..	2	..	1	2	2	2
Total ascertained	20	56	48	28	37	44	41	8	15	12	2	10	3	19	16	11	17	19	20
Not ascertained	21	3	4	2	..	2	1	..	..	..	..	..	..	1	..	1	1	2	..
Total	22	59	52	30	37	46	42	8	15	12	2	10	3	20	16	12	18	21	20

TWENTY-NINTH.

are reported to have Died at Eighteen Periods of life, during the Month of November, 1842, these bear to the whole number of Deaths during the Month, as well as to the Population.

1842.

AGES. 50 and under 60		60 and under 70		70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100		100 and Upward.		TOTAL.		Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Month. 1 to every	2d.—To the population. 1 to every	No.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	7	17	33·17	17152·94	1
..	..	1	7	6	10	11	3	5	11	2	..	..	..	..	..	..	..	25	31	56	10·07	5207·14	2
1	1	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	5	5	10	56·40	29160·00	3
..	..	1	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	34	19	53	10·64	5501·88	4
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	282·00	145800·00	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	188·00	97200·00	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	3	9	62·66	32400·00	7
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8
9	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	37	47	84	6·71	3471·42	9
4	5	1	2	..	1	1	..	1	1	..	..	..	..	..	..	..	..	14	14	28	20·14	10414·28	10
4	2	3	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	22	12	34	16·58	8576·47	11
5	1	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	26	17	43	13·11	6781·39	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	4	141·00	72900·00	13
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	26	44	12·81	6627·27	14
..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	31	21	52	10·84	5607·69	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	23	36	15·66	8100·00	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	3	9	62·66	32400·00	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	11	17	33·17	17152·94	18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	7	13	43·38	22430·76	19
1	1	1	1	2	..	..	..	1	..	..	..	..	..	..	..	..	..	25	14	39	14·46	7470·92	20
24	18	9	14	10	13	14	3	7	12	2	1	..	..	..	..	..	..	287	266	553	1·01	527·30	21
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	3	11	51·27	26509·09	22
24	18	9	14	10	13	14	3	7	12	2	1	..	..	..	..	..	..	295	269	564	1·00	517·02	

THIRTIETH.

are reported to have Died at Eighteen Periods of life, during the Month of December, 1842, these bear to the whole number of Deaths during the Month, as well as to the Population.

1842.

3	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	14	2	16	32·12	18225·00	1
..	..	5	9	6	2	3	2	7	2	2	2	..	1	..	..	..	..	23	18	41	12·53	7112·19	2
2	1	3	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	11	2	13	39·53	22430·76	3
1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25	32	57	9·01	5115·78	4
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	. .	. .	5
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	171·33	97200·00	6
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	7	14	36·71	20828·57	7
2	8	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	41	39	80	6·42	3645·00	8
1	..	2	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	8	7	15	34·26	19440·00	9
..	1	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	22	17	39	13·17	7476·92	10
..	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	18	18	36	14·27	8100·00	11
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	4	128·50	72900·00	12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	16	28	18·35	10414·28	13
2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	25	21	46	11·17	6339·13	14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	22	40	12·85	7290·00	15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	4	6	85·66	48600·00	16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	11	20	25·70	14580·00	17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	4	11	46·90	26509·09	18
2	2	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	15	11	26	19·76	11215·38	19
13	13	15	11	8	3	4	3	9	3	3	3	..	1	..	..	..	..	259	236	495	1·03	589·69	20
..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	8	19	27·05	15347·36	21
13	15	15	11	8	3	4	3	9	3	3	3	..	1	..	..	..	..	270	244	514	1·00	567·31	22

TABLE

Exhibiting the number of Deaths Monthly, under Five Years of Age, (during 1841) with under that Age, and

YEAR

MONTHS.	AGES. Under 1 Month.		1 Month and under 2		2 and under 3		3 and under 6		6 and under 9		9 and under 12		12 and under 15		15 and under 18		18 and under 21	
	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
January	27	18	9	8	10	8	17	16	19	18	14	17	20	18	12	13	17	20
February	26	21	6	5	5	8	15	15	12	16	14	20	33	26	12	12	12	17
March	33	30	6	6	7	6	17	15	21	8	16	15	36	33	18	12	18	14
April	16	14	7	6	5	6	10	14	9	13	16	14	22	13	15	7	13	9
May	16	13	3	3	4	3	5	6	6	10	11	11	16	14	8	7	11	9
June	19	15	2	3	2	2	12	10	11	15	9	12	15	18	6	7	7	10
July	28	19	7	5	7	11	8	7	10	9	12	13	13	16	10	12	7	8
August	25	21	6	8	6	4	18	13	21	16	19	18	27	22	13	11	8	8
September	21	14	10	8	8	4	17	15	13	11	15	8	22	18	12	11	10	14
October	17	16	5	5	5	7	10	15	18	12	14	13	16	17	13	13	9	10
November	25	13	1	3	8	4	17	16	10	20	14	10	14	20	10	18	13	10
December	20	15	5	6	5	3	13	11	15	10	13	14	19	18	10	8	8	10
Total	273	209	67	66	72	66	159	153	165	158	167	165	253	242	139	131	133	139
Total under 5 Years of age in Tollcross where the ages Monthly have not been ascertained,	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Total under 5 Years of age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

THIRTY-FIRST.

the Proportions which these bear to the whole amount of Deaths ascertained Monthly, also to the Population.

1841.

AGES. 21 and under 24 Mths.		2 Years and under 2½		2½ and under 3		3 and under 3½		3½ and under 4		4 and under 4½		4½ and under 5 Years.		TOTAL.		Grand Total.	PROPORTIONS. 1st. To the whole number of Deaths (ages ascertained) monthly under five Years of age.	2d.—To the whole Population.	MONTHS.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M. & F.	1 to every	Per cent.	
9	9	21	23	12	10	18	11	10	9	11	10	3	3	229	211	440	8·995	0·155	January
8	8	15	17	6	15	15	14	6	5	13	5	2	1	200	205	405	9·772	0·143	February
8	5	22	14	8	10	8	15	8	5	6	8	3	1	235	197	432	9·162	0·153	March
8	3	11	13	8	6	10	5	5	1	5	4	3	1	163	129	292	13·554	0·003	April
7	3	13	14	5	10	10	13	2	11	5	6	1	3	123	136	259	15·281	0·091	May
3	4	15	17	6	8	11	12	5	4	9	5	2	2	134	144	278	14·237	0·098	June
3	3	9	7	4	4	8	8	2	1	7	4	1	2	136	129	265	14·935	0·093	July
3	3	19	11	5	7	9	5	4	..	5	6	1	..	189	153	342	11·573	0·121	August
4	3	10	16	5	6	8	7	3	2	6	4	1	2	165	143	308	12·850	0·109	September
4	5	16	12	6	9	11	9	3	4	7	5	2	1	156	153	309	12·809	0·109	October
4	6	9	8	12	5	7	7	4	7	6	6	3	1	157	163	320	12·368	0·113	November
6	5	20	16	6	8	11	12	5	4	5	3	2	2	163	145	308	12·850	0·109	December
67	57	180	168	83	98	126	118	57	53	85	66	24	19	2050	1908	3958	1·000	1·403	Total Ages ascertained.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	81	65	146	. . .	. . . .	Total Ages not ascertained Monthly.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	2131	1973	4104			

TABLE

Exhibiting the number of Deaths Monthly, under Five Years of Age, (during 1842) with under that Age, and

YEAR

January	17	17	6	8	6	3	13	10	17	8	11	14	16	17	13	10	9	18
February	18	17	4	5	4	8	7	10	13	13	21	19	16	17	10	9	9	17
March	13	15	3	4	8	4	13	10	14	9	20	9	15	16	9	7	12	13
April	11	12	2	3	4	2	6	6	14	10	12	10	17	10	10	18	14	4
May	23	16	5	4	2	3	11	11	15	15	20	14	14	16	7	12	12	17
June	23	17	6	7	6	4	11	9	13	15	12	17	12	17	11	6	11	8
July	18	11	12	3	9	6	15	13	13	12	14	7	22	24	11	10	13	10
August	32	16	10	5	5	6	14	13	20	21	22	21	19	25	19	11	16	12
September	25	13	10	4	7	5	16	13	16	17	9	11	36	23	11	13	10	9
October	11	12	6	4	6	2	11	11	12	13	11	11	17	11	11	5	11	5
November	19	14	6	3	4	2	15	7	12	11	10	11	18	12	7	6	11	11
December	18	12	3	5	4	4	8	11	12	7	14	13	14	14	6	6	5	11
Total	228	172	73	55	65	49	140	124	171	151	176	157	216	202	125	113	133	135
Total under 5 Years of age in Tollcross where the ages Monthly have not been ascertained,	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Grand Total	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

THIRTY-SECOND.

the Proportions which these bear to the whole amount of Deaths ascertained Monthly, also to the Population.

1842.

																	1 to every		
6	7	15	13	15	9	16	9	3	7	14	7	3	1	180	158	338	10·482	862·721	January
7	9	14	11	9	4	10	12	4	5	6	6	3	3	155	165	320	11·071	911·250	February
2	4	15	11	7	10	10	6	6	2	6	5	4	3	157	128	285	12·431	1023·157	March
9	5	13	14	3	11	9	12	5	8	6	5	3	3	138	133	271	13·073	1076·014	April
3	6	20	14	10	9	7	6	6	4	8	6	2	1	165	154	319	11·106	914·106	May
5	7	13	10	7	6	3	9	3	4	3	2	2	1	141	139	280	12·653	1041·428	June
6	5	16	17	10	6	7	8	1	4	1	4	..	1	168	141	309	11·466	943·689	July
4	3	14	11	5	7	7	6	3	..	6	5	..	2	196	164	360	9·841	810·000	August
3	3	13	11	6	7	2	5	2	1	6	3	..	1	172	139	311	11·392	937·620	September
4	5	13	12	3	4	4	7	1	2	2	4	3	1	126	109	235	15·076	1240·851	October
4	4	10	11	4	9	9	12	3	4	3	1	3	1	138	119	257	13·786	1134·630	November
2	4	14	16	8	8	12	8	4	4	5	3	1	2	130	128	258	13·732	1130·232	December
55	62	170	151	87	90	96	100	41	45	66	51	24	20	1866	1677	3543	100·000	82·303	Total Ages ascertained.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	44	31	75	. . .	. . . .	Total Ages not returned Monthly.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1910	1708	3618			

TABL

TABLE exhibiting the number of Burials Registered in the City and Suburbs of Glasgow during each Mon showing the Total number of Deaths at each Period, and the Proportion which these and th

Populatio

BURIALS. 1841.	Still-Born.		AGES. Under 1 Year.		1 and under 2		2 and under 5		5 and under 10		10 and under 15		15 and under 20		20 and under 30		30 and under 40		40 and under 50		50 and under 60		60 and unde 70	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
January	46	42	97	89	58	60	79	66	31	34	16	15	21	20	42	52	42	39	53	43	38	41	31	3
February	43	35	80	87	66	66	58	60	40	31	8	15	13	19	32	36	31	27	30	29	33	29	26	2
March	49	36	102	82	81	67	59	51	26	26	9	13	16	15	38	33	31	27	28	38	25	25	27	1
April .	37	30	65	70	59	35	46	31	19	15	12	9	19	9	20	33	28	41	26	24	31	15	20	2
May .	20	29	46	46	43	37	37	60	28	23	16	16	20	13	24	32	32	38	27	32	24	13	19	1
June .	24	27	55	60	33	40	49	50	25	17	13	16	10	17	35	31	19	23	18	25	20	18	15	3
July .	23	20	75	66	35	39	31	27	21	9	10	6	12	18	29	19	30	21	17	27	25	22	20	1
August .	28	26	98	82	54	45	45	31	15	15	6	6	6	10	24	30	25	26	23	25	15	16	18	1
September	28	34	85	62	50	47	39	37	17	11	16	11	6	9	20	21	27	26	20	17	22	15	26	1
October	24	25	71	70	42	47	51	42	20	13	6	8	6	9	19	26	18	21	17	25	11	16	23	1
November	32	26	77	67	43	64	49	38	22	23	5	6	7	8	32	23	35	21	31	19	19	12	23	1
December	27	14	72	62	46	41	52	46	27	21	13	6	11	14	19	25	21	26	21	23	22	16	29	3
Mal. & Fem.	381	338	923	843	610	588	598	542	291	238	130	127	153	161	343	355	339	336	311	327	285	238	271	25
Total .	719		1766		1198		1140		529		257		314		698		675		638		523		524	
Proportion of above to whole Burials as 1 to	13·35		5·43		8·01		8·42		18·15		37·37		30·58		13·76		14·22		15·05		18·36		18·3	
Do. to whole Popul. as 1 to	392·39		159·75		235·50		247·48		533·33		1097·79		898·51		404·20		417·97		442·21		539·45		538·4	
Per-cent. of Pop.	0·25		0·62		0·42		0·40		0·18		0·09		0·11		0·24		0·24		0·22		0·18		0·1	

TABL

TABLE exhibiting the number of Fatal Cases of Disease that occurred in the City and Suburbs of Glasgow durin showing the Total number of Deaths at each Period, and the Proportion which these and the numb

Populatio

DISEASES. 1842.	AGES. Under 1 Year.		1 and under 2		2 and under 5		5 and under 10		10 and under 15		15 and under 20		20 and under 30		30 and under 40		40 and under 50		50 and under 60		60 and un 70	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F
Accidents .	3	4	2	1	10	9	13	4	5	4	9	5	36	6	22	5	27	5	17	5	5	1		
Aged . .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	118	12		
Asthma . .	..	..	1	..	..	1	..	..	1	..	3	..	3	9	9	9	12	13	31	22	26	3		
Bowel Complaints	338	282	90	102	47	31	10	11	10	1	3	5	2	4	2	14	6	7	13	4	6	1		
Catarrh . .	1	5	1	2	3	2	2	1	2	3	1	1	1	3	1	2	2	1	..	2	3	1		
Child-birth .	..	..	..	..	..	..	..	..	..	..	..	2	..	31	..	42	..	10	..	..	..	..		
Croup . .	37	42	41	34	28	27	5	6	2	4	..	..	..	1	..	..	..	2	..	..	..	..		
Decline .	61	59	74	55	75	51	35	41	33	44	58	60	122	122	98	96	69	83	64	57	..	..		
Dropsy . .	1	4	7	5	21	18	21	5	9	3	6	5	10	11	8	26	20	38	21	23	23	1		
Fever . .	33	23	30	26	37	40	43	31	16	15	39	43	100	91	123	75	91	81	67	50	31	1		
Head, of .	79	52	46	45	52	39	26	24	10	7	6	6	9	10	19	5	19	15	16	9	15			
Heart, of .	2	2	2	1	4	..	8	2	1	2	1	1	5	6	5	2	5	5	8	2	2			
Hooping Cough	64	67	66	78	55	66	16	18	2	3	2	..	..	1	..	..	..	..	..	1	..	..		
Inflammation	64	54	40	39	40	33	25	17	8	15	16	17	25	29	21	29	25	26	16	22	18	3		
Measles . .	42	52	56	49	80	64	24	15	7	5	..	..	..	2	1	2	1	..	1	2	..	..		
Nervous .	13	13	4	5	9	7	1	3	1	1	1	3	..	..	1	2	1	2	..	4	..	..		
Scarlet Fever .	40	49	57	54	73	76	33	41	10	9	1	7	2	1	3	2	..	1	1	..	..	..		
Small-Pox .	60	55	49	49	43	52	11	7	4	6	1	..	6	3	..	1	..	..	..	..	..	..		
Miscellaneous .	42	29	31	26	12	14	8	2	6	5	5	4	13	17	18	16	24	29	25	26	21	1		
Total ascertained	880	792	597	571	589	530	281	228	127	127	152	159	334	347	331	328	302	318	280	229	268	23		
Not ascertained	43	51	13	17	9	12	10	10	3	..	1	2	9	8	8	8	9	9	5	9	3	..		
Total .	923	843	610	588	598	542	291	238	130	127	153	161	343	355	339	336	311	327	285	238	271	23		
	1766		1198		1140		529		257		314		698		675		638		523		524			

THIRTY-THIRD.

of the Year 1841, arranged according to Eighteen Periods of life at which they took place with Calculations whole Deaths each Month bear to the Total number of Deaths and also to the Population.

282,134.

AGES. 70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100		100 and Upward.		TOTAL.		Grand Total of Deaths	PROPORTIONS. 1st.—To the whole Deaths during the Year. 1 to every	2d.—To the Population. 1 to every	Per cent. of Population.	MONTHS. 1841.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
13	18	7	15	8	11	2	7	..	1	..	..	..	..	584	588	1172	8·19	240·72	0·41	January
9	14	7	8	5	5	2	2	1	2	..	..	..	1	484	492	976	9·84	289·07	0·34	February
18	10	11	8	3	7	2	1	1	..	..	..	..	..	526	461	987	9·73	285·85	0·34	March
6	17	7	8	4	5	1	..	1	..	..	..	..	..	410	362	772	12·44	365·44	0·27	April
14	13	4	5	4	2	..	..	1	..	1	..	..	..	360	373	733	13·10	384·00	0·25	May
5	10	1	12	2	4	..	..	..	1	..	..	..	..	330	382	712	13·49	396·25	0·25	June
11	9	4	7	3	9	1	1	..	1	..	2	..	..	350	319	669	14·35	421·72	0·23	July
11	20	5	13	3	3	3	..	1	1	1	1	..	..	381	371	752	12·77	375·17	0·26	August
9	10	7	5	5	6	2	1	..	1	..	1	..	..	373	323	696	13·80	405·36	0·24	Sept.
6	14	5	3	2	6	..	1	..	..	..	..	..	..	321	337	658	14·59	428·77	0·23	October
10	9	5	12	2	2	1	4	..	..	..	..	..	..	393	342	735	13·06	383·85	0·26	Nov.
5	11	9	11	5	11	3	2	1	..	..	..	..	..	383	360	743	12·02	379·72	0·26	Dec.
117	155	72	107	46	71	17	19	6	7	2	4	..	1	1895	1710	9605	1·00	29·37	3·40	M. & F.
272		179		117		36		13		6		1		9605		Total.				
35·31		53·65		82·09		266·80		738·84		1600·83		9605·00		1·000		Proportion of the above to whole Burials as 1 to these numbers.				
1037·25		1576·16		2411·40		7838·05		21702·61		17022·33		282134·00		29·373		Do. to whole Popul. as 1 to these.				
0·09		0·06		0·04		0·01		0·004		0·002		0·0005		3·404		Do. to whole Population per cent.				

THIRTY-FOURTH.

the Year 1841, classified according to Eighteen Periods of life at which they took place; with Calculations of Deaths from the several Diseases bear to the Total number of Deaths and also to the Population.

282,134.

AGES. 70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100		100 and Upward.		TOTAL.		Grand Total in 1841.	Grand Total in 1840.	Increase in 1841.	Decrease in 1841.	PROPORTIONS. 1st.—To the whole Deaths during the Year. 1 to every	2d.—To the Population. 1 to every	3d.—Percentage of Fatal Diseases to the whole Deaths.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
1	5	1	2	..	..	..	1	..	..	..	..	..	..	151	58	209	194	15	..	42·511	1349·923	2·352
81	111	60	86	15	62	15	18	5	7	1	4	..	1	325	412	737	726	11	..	12·057	382·814	8·293
9	10	3	5	..	5	1	..	..	..	..	..	..	..	99	107	206	142	64	..	43·135	1369·582	2·318
4	2	1	..	..	..	..	..	..	..	..	..	..	..	532	471	1003	1014	..	11	8·859	281·290	11·287
..	1	..	..	..	..	..	..	..	..	..	..	..	..	17	25	42	16	26	..	211·572	6717·476	0·472
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	85	85	93	..	8	104·541	3319·223	0·956
..	..	..	..	..	..	..	..	..	..	..	..	..	..	113	116	229	197	32	..	38·803	1232·026	2·577
..	..	..	..	..	..	..	..	..	..	..	..	..	..	689	668	1357	1437	..	80	6·548	207·910	15·271
6	5	1	5	1	1	1	..	1	..	..	..	..	..	157	171	328	276	52	..	27·091	860·165	3·692
6	5	..	1	..	..	..	..	..	..	..	..	..	..	616	501	1117	1229	..	112	7·955	252·581	12·570
4	6	2	2	..	1	..	..	..	..	1	..	..	..	304	230	534	441	93	..	16·640	528·340	6·009
1	..	2	..	..	..	..	..	..	..	..	..	..	..	46	27	73	58	15	..	121·726	3864·849	0·821
..	..	..	..	..	..	..	..	..	..	..	..	..	..	205	234	439	501	..	62	20·421	642·446	4·940
..	2	..	2	..	1	..	..	..	..	..	..	..	..	298	295	593	477	116	..	14·984	475·774	6·673
..	..	..	..	..	..	..	..	..	..	..	..	..	..	212	191	403	678	..	275	22·049	700·084	4·535
..	..	..	..	..	..	..	..	..	..	..	..	..	..	31	46	77	55	22	..	115·402	3664·077	0·866
..	..	..	..	..	..	..	..	..	..	..	..	..	..	220	240	460	386	74	..	19·317	613·334	5·176
..	..	..	..	..	..	..	..	..	..	..	..	..	..	174	173	347	413	..	66	25·608	813·066	3·905
4	4	2	3	..	1	..	..	..	..	..	..	..	..	211	191	402	261	141	..	22·104	684·791	4·523
116	151	72	106	16	71	17	19	6	7	2	4	..	1	4400	4241	8641	8594	47	..	1·027	32·650	97·242
1	4	..	1	..	..	..	..	..	..	..	..	..	..	114	131	245	227	18	..	36·269	1151·567	2·757
117	155	72	107	16	71	17	19	6	7	2	4	..	1	4514	4372	8886	8821	65	..	1·000	31·750	100·000
272		179		117		36		13		6		1		8886								

TABLE

Exhibiting the number of Burials Registered in the City and Suburbs of Glasgow during each Month of the showing the Total number of Deaths at each Period, and the Proportion which these and the whole

Estimated Population,

MONTHS. 1842.	Still-Born.		AGES. Under 1 Year.		1 and under 2		2 and under 5		5 and under 10		10 and under 15		15 and under 20		20 and under 30		30 and under 40		40 and under 50		50 and under 60		60 and under 70	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
January	47	38	72	61	47	51	68	47	31	34	12	17	13	13	24	35	23	28	20	29	18	24	26	14
February	35	27	70	73	43	53	47	43	33	22	8	10	8	16	21	17	27	30	18	25	14	15	27	31
March .	30	39	74	53	39	41	51	38	19	18	11	11	6	15	28	24	26	17	19	25	19	24	22	22
April .	31	33	49	43	50	37	39	53	21	35	9	9	7	6	24	24	15	20	20	15	16	14	18	13
May . .	33	23	77	63	36	51	53	40	21	13	11	12	15	13	24	19	28	20	17	20	15	14	12	13
June .	25	19	71	69	41	39	32	32	12	18	10	11	6	13	19	22	23	30	22	21	21	17	15	7
July . .	26	19	81	52	52	51	36	42	20	22	11	4	12	7	19	22	23	16	23	15	13	12	16	13
August	23	20	103	82	59	51	35	31	15	9	3	11	17	11	19	22	26	21	20	21	17	14	9	23
September	25	23	85	63	60	50	31	28	15	9	7	10	6	7	16	17	13	21	18	14	5	13	23	11
October	28	18	57	53	45	27	28	31	10	16	10	3	9	7	17	19	23	21	19	17	16	13	11	14
November	20	17	66	50	42	31	33	39	12	16	3	4	7	7	22	21	23	20	21	17	21	18	9	14
December	20	32	59	52	30	37	46	42	8	15	12	2	10	3	20	16	12	18	21	20	13	15	15	11
Mal. & Fem.	352	308	867	714	544	525	499	469	217	227	107	104	116	112	253	258	262	262	244	239	191	193	203	201
Grand Total	660		1581		1069		968		444		211		228		511		524		483		384		404	
Proportion of whole Deaths as 1 to	12·15		5·07		7·50		8·28		18·06		38·00		35·17		15·69		15·30		16·16		20·88		19·81	
To Popul. as 1 to	441·81		184·44		272·77		301·23		656·75		1381·99		1278·04		570·64		556·48		603·72		759·37		721·78	
Per-centage of whole Deaths	8·23		19·71		13·33		12·07		5·53		2·63		2·84		6·37		6·53		6·02		4·78		5·03	
Per cent. of Pop.	0·22		0·54		0·36		0·33		0·15		0·07		0·07		0·17		0·17		0·16		0·13		0·13	

TABLE

Exhibiting the number of Fatal Cases of Disease that occurred in the City and Suburbs of Glasgow during the the Total number of Deaths at each Period, and the Proportion which these and the number of Deaths

Estimated Population,

DISEASES. 1842.	AGES. Under 1 Year.		1 and under 2		2 and under 5		5 and under 10		10 and under 15		15 and under 20		20 and under 30		30 and under 40		40 and under 50		50 and under 60		60 and under 70	
	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Accidents .	2	2	4	1	7	9	12	4	15	3	22	2	23	10	23	4	10	6	8	4	9	5
Aged . . .	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	80	107
Asthma . .	..	..	..	..	..	..	..	1	..	..	2	..	2	3	7	7	15	13	12	11	23	18
Bowel Complaints	329	256	109	92	29	24	6	12	3	2	4	3	7	6	10	7	6	9	9	12	10	7
Catarrh . .	..	2	2	..	2	1	1	2	1	..	2	..	1	..	2	2	1	..	1	..	4	..
Child-birth . .	..	..	..	..	..	..	..	..	..	..	..	2	..	24	..	30	..	9	..	..	..	..
Croup . .	21	16	23	23	28	22	8	4	..	2	..	..	..	2	..	..	..	..	..	..	1	1
Decline . .	65	65	60	57	62	63	25	26	29	32	46	45	112	108	84	96	61	78	57	72	..	..
Dropsy . .	9	3	2	3	12	8	18	8	9	8	5	3	7	8	10	22	21	19	28	26	14	23
Fever . . .	13	7	12	9	26	20	10	33	9	9	8	18	39	29	42	29	50	35	21	18	18	6
Head, of . .	70	62	48	50	48	26	22	19	3	6	5	..	6	6	12	3	16	16	13	8	9	8
Heart, of . .	3	3	2	2	2	1	2	5	3	3	..	5	4	2	4	4	6	1	5	1	2	1
Hooping Cough	58	50	50	59	43	55	7	11	..	..	..	..	..	..	..	..	1	..	1	..	..	..
Inflammation .	51	46	50	28	37	23	21	14	11	9	9	12	14	31	19	21	24	15	13	11	12	7
Measles . .	60	72	85	94	88	106	22	27	4	6	1	3	1	..	..	..	..	..	..	..	..	..
Nervous . .	22	16	10	3	1	3	2	2	4	2	..	1	2	4	2	3	5	2	2	3	..	3
Scarlet Fever .	9	16	19	28	44	52	32	29	3	9	1	3	4	1	..	..	..	1	..	1	..	..
Small-Pox .	73	42	35	47	46	32	17	15	4	7	3	2	4	1	4	1	1	..	..	..	..	..
Miscellaneous .	51	26	23	18	14	17	8	12	7	5	8	11	16	18	33	27	21	27	16	21	16	13
Total ascertained	836	684	534	514	489	462	213	224	105	103	116	110	242	253	252	256	238	231	186	188	198	199
Not ascertained	31	30	10	11	10	7	4	3	2	1	..	2	11	5	10	6	6	8	5	5	5	2
Total .	867	714	544	525	499	469	217	227	107	104	116	112	253	258	262	262	244	239	191	193	203	201
	1581		1069		968		444		211		228		511		524		483		384		404	

THIRTY-FIFTH,

Year 1842, arranged according to Eighteen Periods of life at which they took place; with Calculations Deaths each Month bear to the Total number of Deaths and also to the estimated Population,

291,600.

AGES. 70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100		100 and Upward		TOTAL.		Total Burials.	PROPORTIONS. To the whole Burials.	To the Population.	Per-centage of Burials.	Per cent. of Population.	MONTHS.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		1 to every	1 to every	Per cent.	p. cent.	
8	19	13	11	5	11	1	2	1	1	..	..	..	..	435	443	878	9·13	332·11	10·94	0·30	Jan.
9	9	8	6	3	7	2	2	1	1	..	..	..	..	374	384	758	10·57	384·69	9·45	0·25	Feb.
5	15	6	5	5	6	3	1	..	..	1	..	..	..	364	354	718	11·16	406·12	8·95	0·24	Mar.
8	9	5	4	2	5	3	..	..	..	..	..	..	..	317	322	639	12·54	456·33	7·96	0·21	April
8	5	6	4	2	7	..	2	..	2	..	..	..	..	358	321	679	11·81	429·45	8·46	0·23	May
7	6	3	6	7	7	3	..	1	1	..	..	..	..	318	318	636	12·60	458·49	7·93	0·21	June
7	11	4	7	3	9	1	4	1	3	..	1	..	..	351	312	663	12·09	439·81	8·26	0·22	July
10	14	4	6	1	4	1	1	..	1	..	..	..	..	362	345	707	11·34	412·44	8·81	0·24	Aug.
6	7	5	8	2	4	..	2	2	1	..	..	..	..	319	288	607	13·21	480·39	7·56	0·20	Sept.
6	11	6	5	9	3	1	1	..	1	..	..	..	..	295	263	558	14·37	522·58	6·95	0·19	Oct.
10	13	14	3	7	12	2	1	..	..	..	..	..	..	315	286	601	13·34	485·19	7·49	0·20	Nov.
8	3	4	3	9	3	3	3	..	1	..	..	..	..	299	276	575	13·04	507·13	7·17	0·19	Dec.
92	122	78	68	55	78	20	19	6	12	1	1	..	..	4107	3912	8019					
214		146		133		39		18		2		..		8019		8019	1·00	36·36	100·00	2·75	
37·47		54·92		60·29		205·61		445·50		4000·50		..		1·00		Propor. of whole Deaths as 1 to these.					
1362·61		1097·26		2192·48		7476·92		162000·00		145800·00		..		36·36		Do. to Population as 1 to these.					
2·66		1·82		1·65		0·48		0·22		0·02		..		100·00		Per-centage of whole Deaths.					
0·07		0·05		0·04		0·01		0·00		0·00		..		2·75		Per-centage of Population.					

THIRTY-SIXTH,

Year 1842, classified according to Eighteen Periods of life at which they took place; with Calculations showing from the several Diseases bear to the Total number of Deaths and also to the estimated Population.

291,600.

AGES. 70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100		100 and Upward		TOTAL.		Grand Total.	PROPORTIONS. 1st.—To the whole number of Deaths during the Year.	2d.—To the estimated Population.	Per-centage of whole Deaths.	Per cent. of Population.	DISEASES
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		1 to every	1 to every			
2	1	2	1	2	1	..	1	..	..	..	..	..	..	141	54	195	37·73	1495·38	2·64	0·06	Accidents
46	83	62	57	13	67	16	15	6	12	1	1	..	..	254	312	566	12·34	489·26	8·09	0·20	Aged
9	5	..	1	2	2	..	1	..	..	..	..	..	..	72	62	134	54·91	2176·11	1·82	0·04	Asthma
2	4	2	1	..	..	..	1	..	..	..	..	..	..	526	436	962	7·64	303·11	13·07	0·32	Bowel Complaints
..	1	..	..	..	..	..	..	..	..	..	..	..	..	17	8	25	294·36	11664·00	0·33	0·00	Catarrh
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	65	65	113·21	4486·15	0·88	0·02	Child-birth
..	..	..	..	..	..	..	..	..	..	..	..	..	..	81	70	151	48·73	1931·12	2·05	0·05	Croup
..	..	..	..	..	..	..	..	..	..	..	..	..	..	601	642	1243	5·92	234·59	16·89	0·42	Decline
9	11	2	4	3	3	..	..	..	..	..	..	..	..	149	146	295	24·94	988·47	4·00	0·10	Dropsy
2	2	2	..	1	..	..	..	..	..	..	..	..	..	253	215	468	15·72	623·07	6·35	0·16	Fever
6	5	4	3	..	..	..	..	..	..	..	..	..	..	262	212	474	15·52	615·18	6·44	0·16	Head, of
3	..	1	..	..	..	..	..	..	..	..	..	..	..	37	28	65	113·21	4486·15	0·88	0·02	Heart, of
..	..	..	..	..	..	..	..	..	..	..	..	..	..	160	175	335	21·96	870·44	4·55	0·11	Hooping Cough
5	2	1	..	..	1	..	..	..	..	..	..	..	..	267	220	487	15·11	598·76	6·61	0·16	Inflammation
..	..	..	..	..	..	..	..	..	..	..	..	..	..	261	308	569	12·93	512·47	7·73	0·19	Measles
1	2	1	..	..	1	..	..	..	..	..	..	..	..	52	44	96	76·65	3037·50	1·30	0·03	Nervous
..	..	..	..	..	..	..	..	..	..	..	..	..	..	112	140	252	29·20	1157·14	3·42	0·08	Scarlet Fever
..	..	..	..	..	..	..	..	..	..	..	..	..	..	187	147	334	22·03	873·05	4·53	0·11	Small-Pox
6	5	1	..	4	3	3	1	..	..	..	..	..	..	227	208	435	16·91	670·34	5·91	0·14	Miscellaneous
91	121	78	67	55	78	19	19	6	12	1	1	..	..	3659	3522	7181	1·02	40·60	97·58	2·46	Total ascertained
1	1	..	1	..	..	1	..	..	..	..	..	..	..	96	82	178	41·34	163·83	2·41	0·06	Not ascertained
92	122	78	68	55	78	20	19	6	12	1	1	..	..	3755	3604	7359	1·00	39·62	100·00	2·52	Total
214		146		133		39		18		2		..		7359							

TABLE THIRTY-SEVENTH.

Abstract of ascertained Diseases which caused Death in Children during 1841, with the comparitive Increase and Decrease of these Diseases with those of 1840; also, the Proportion which they bear to the Deaths under Five Years of Age and to the whole Population.

DISEASES.	Total in 1841.	Total in 1840.	Increase in 1841.	Decrease in 1841.	Proportion the Diseases in 1841 bear to the whole Deaths under Five Years of Age. — 1 to every	Per-centage of whole Population.
Accidents . . .	29	30	. .	1	141·517	0·010
Asthma . . .	2	2	. .	. .	2052·000	. . .
Bowel Complaints .	890	893	. .	3	4·011	0·315
Catarrh . . .	14	5	9	. .	203·143	0·001
Croup	209	182	27	. .	10·036	0·074
Decline . . .	375	431	. .	56	10·944	0·132
Dropsy	56	34	22	. .	73·285	0·010
Fever . . .	189	135	54	. .	21·714	0·066
Head, of . . .	313	257	56	. .	13·111	0·110
Heart, of . . .	11	13	. .	2	373·000	0·003
Hooping Cough . .	396	450	. .	54	10·363	0·140
Inflammation . .	270	219	51	. .	15·200	0·095
Measles . . .	343	572	. .	229	11·965	0·121
Nervous . . .	51	26	25	. .	80·470	0·018
Scarlet Fever . .	349	270	79	. .	11·759	0·122
Small-Pox . .	308	346	. .	38	13·324	0·109
Miscellaneous . .	154	44	110	. .	26·649	0·054
Not ascertained .	145	122	23	. .	28·303	0·051
Total . .	4104	4031	456	383	1·000	1·454

TABLE THIRTY-EIGHTH.

Abstract of ascertained Diseases which caused Death in Children during 1842, with the comparitive Increase and Decrease of these Diseases with those of 1841; also, the Proportion which they bear to the Deaths under Five Years of Age and to the whole Population.

DISEASES.	Total in 1842.	Total in 1841.	Increase in 1842.	Decrease in 1842.	Proportion the Diseases in 1842 bear to the whole Deaths under Five Years of Age. — 1 to every	Per-centage of whole Population.
Accidents . . .	25	29	. .	4	144·720	0·008
Asthma . . .	. .	2	. .	2	. .	. . .
Bowel Complaints .	839	890	. .	51	4·312	0·287
Catarrh . . .	7	14	. .	7	516·857	0·002
Croup	133	209	. .	76	27·203	0·045
Decline . . .	372	375	. .	3	9·725	0·127
Dropsy	37	56	. .	19	97·783	0·012
Fever . . .	87	189	. .	102	41·586	0·029
Head, of . . .	304	313	. .	9	11·901	0·104
Heart, of . . .	13	11	2	. .	278·307	0·004
Hooping Cough . .	315	396	. .	81	11·485	0·108
Inflammation . .	235	270	. .	35	15·395	0·080
Measles . . .	505	343	162	. .	7·164	0·173
Nervous . . .	55	51	4	. .	65·781	0·018
Scarlet Fever . .	168	349	. .	181	21·535	0·057
Small-Pox . .	275	308	. .	33	13·156	0·094
Miscellaneous . .	149	154	. .	5	24·281	0·051
Not ascertained .	99	145	. .	46	36·548	0·033
Total . .	3618	4104	168	654	1·000	1·240

ILE THIR'

340, and 184 erage Annual number of Deaths
Annual num at the different Ages.

tion of these

PROPORTIONS.				DISEASES.
60 and under 70		1.—To the ole Average nual Deaths ring these Years.	2d.—To the Mean Population.	
M.	F.	Per cent.	Per cent.	
28	18	2·231	0·071	Accidents
546	792	8·775	0·282	Aged
145	137	2·339	0·077	Asthma
31	34	11·521	0·370	Bowel Complaints
23	35	1·157	0·037	Catarrh
. .	. .	0·992	0·031	Child-birth
. .	. .	1·946	0·062	Croup
. .	. .	16·300	0·523	Decline
89	100	3·103	0·099	Dropsy
131	92	13·861	0·445	Fever
90	45	5·380	0·172	Head, of
15	11	0·621	0·020	Heart, of
. .	. .	5·144	0·165	Hooping-Cough
86	43	. .	0·185	Inflammation
. .	. .	6·171	0·198	Measles
5	10	0·650	0·020	Nervous
1	. .	3·002	0·096	Scarlet Fever
. .	. .	4·491	0·144	Small-Pox
97	74	3·341	0·107	Miscellaneous
1287	1301	96·863	3·113	Ascertained
38	20	3·136	0·100	Not ascertained
1325	1321	00·000	3·214	Total
6·079	6·400	Male and of Female Deaths at the different e and total Female Deaths respectively.		
2·578	3·101	s and of Females Living, at the same Ages, les, and to the total Female Population		
4·501	3·299	of Deaths by these Proportions.		
. .	. .	of the Living by these Proportions.		
529½		ount of Male and Female Deaths, inclusive, Years.		
8,014		t these Ages, in 1841.		
6·578		d Female Deaths to the Living at these Ages.		

-SEVENTH.

h in Children during 1841, with the compari-
h those of 1840; also, the Proportion which
and to the whole Population.

Increase in 1841.	Decrease in 1841.	Proportion the Diseases in 1841 bear to the whole Deaths under Five Years of Age. 1 to every	Per-centage of whole Population.
. .	1	141·517	0·010
. .	. .	2052·000	. . .
. .	3	4·611	0·315
9	. .	293·142	0·004
27	. .	19·636	0·074
. .	56	10·944	0·132
22	. .	73·285	0·019
54	. .	21·714	0·066
56	. .	13·111	0·110
. .	2	373·000	0·003
. .	54	10·363	0·140
51	. .	15·200	0·095
. .	229	11·965	0·121
25	. .	80·470	0·018
79	. .	11·759	0·122
. .	38	13·324	0·109
110	. .	26·649	0·054
23	. .	28·303	0·051
456	383	1·000	1·454

Y-EIGHTH.

ath in Children during 1842, with the compari-
ith those of 1841; also, the Proportion which
and to the whole Population.

Increase in 1842.	Decrease in 1842.	Proportion the Diseases in 1842 bear to the whole Deaths under Five Years of Age. 1 to every	Per-centage of whole Population.
. .	4	144·720	0·008
. .	2	. .	. . .
. .	51	4·312	0·287
. .	7	516·857	0·002
. .	76	27·203	0·045
. .	3	9·725	0·127
. .	19	97·783	0·012
. .	102	41·586	0·029
. .	9	11·901	0·104
2	. .	278·307	0·004
. .	81	11·485	0·108
. .	35	15·395	0·080
162	. .	7·164	0·173
4	. .	65·781	0·018
. .	181	21·535	0·057
. .	33	13·156	0·094
. .	5	24·281	0·051
. .	46	36·548	0·033
168	654	1·000	1·240

TABLE THIRTY-NINTH.

Exhibiting the number of Fatal Cases of Disease that occurred in the City and Suburbs of Glasgow, during the years 1837, 1838, 1839, 1840, and 1841, classified according to Eighteen Periods of Life at which they took plac
at each Period, and the Proportion which these, and the number of Deaths from the several Diseases, bear to the Total Average Annual number of Deaths, and also to the Mean Population of these years; together

Mean Population of these Five Years, 264,010

DISEASES.	AGES.																																	
	Under 1 Year.		1 and under 2		2 and under 5		5 and under 10		10 and under 15		15 and under 20		20 and under 30		30 and under 40		40 and under 50		50 and under 60		60 and under 70		70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Accidents	13	7	16	9	47	41	49	33	34	17	60	10	147	30	104	31	109	25	40	30	28	18	11	15	2	4	2	3	. .	2	. .	1	. .	. .
Aged	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	546	702	378	545	265	389	235	338	78	130	27	54	10	16
Asthma	. .	1	2	. .	1	4	3	5	4	2	11	7	18	31	43	53	76	112	133	105	145	137	37	35	20	14	6	10	1	2	. .	. .	. .	. .
Bowel Complaints	1707	1353	568	482	174	150	41	43	20	15	8	9	22	23	20	33	21	30	45	31	31	34	10	9	2	3	1	4	. .	. .	. .	. .	. .	. .
Catarrh	32	21	23	18	25	28	10	5	7	6	4	5	12	25	22	32	22	25	22	49	23	35	5	18	8	5	1	2	1	. .	. .	. .	. .	. .
Child-birth	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	13	. .	173	. .	187	. .	48	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
Croup	134	107	147	130	131	109	25	21	3	10	. .	2	2	2	. .	. .	. .	2	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
Decline	372	353	352	291	366	324	223	177	151	164	239	268	592	573	474	505	400	406	302	379	. .	. .	. .	. .	. .	. .	. .	. .	3	1	1	. .	. .	1
Dropsy	20	6	24	19	72	49	72	32	30	16	20	15	50	65	57	90	70	122	86	102	89	100	23	30	14	18	4	7	4	2	. .	1	. .	2
Fever	104	57	97	95	160	197	174	170	86	128	210	231	579	479	708	476	619	456	314	259	131	92	22	19	4	5	4	2	. .	1	. .	2	. .	. .
Head, Diseases of	287	217	212	185	231	172	101	99	36	20	20	12	45	28	89	39	78	43	81	46	90	45	27	22	23	15	9	6	1	1	. .	2	1	. .
Heart, of	9	2	6	11	13	3	12	9	3	8	5	6	17	10	21	12	24	16	26	15	15	11	4	4	2	. .	1	. .	. .	. .	. .	. .	. .	. .
Hooping-Cough	368	332	384	365	268	281	67	95	5	9	4	. .	1	1	2	. .	. .	. .	. .	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
Inflammation	273	194	187	137	168	141	91	79	30	36	45	39	111	146	113	118	133	99	77	79	86	43	7	6	3	5	. .	2	. .	. .	. .	. .	. .	. .
Measles	265	266	435	416	476	449	135	125	15	13	3	4	1	7	2	2	2	. .	1	2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
Nervous Diseases	49	46	18	14	20	18	5	4	3	4	3	9	4	12	5	6	11	9	8	11	5	10	1	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
Scarlet Fever	87	97	132	135	247	206	144	139	25	27	1	8	6	4	3	5	1	4	2	. .	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
Small-Pox	304	265	278	254	265	268	63	58	13	18	11	16	43	25	10	10	2	3	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
Miscellaneous	83	69	48	50	37	42	32	22	23	22	25	16	55	64	74	81	103	118	98	120	97	74	18	16	15	9	2	2	. .	1	2	. .	. .	. .
Ascertained Diseases	4107	3393	2929	2614	2701	2482	1247	1116	491	515	669	670	1705	1698	1747	1680	1680	1518	1245	1229	1287	1301	543	720	358	467	265	376	84	138	30	59	11	17
Not ascertained	203	208	76	80	59	68	39	28	9	2	24	15	41	43	62	42	64	58	47	40	38	20	15	12	5	5	5	9	3	9	1	1	. .	. .
Total	4310	3601	3005	2694	2760	2550	1286	1144	500	517	693	685	1746	1741	1809	1722	1744	1576	1292	1269	1325	1321	558	732	363	472	270	385	87	147	31	60	11	17
Proportion of Male and of Female Deaths at the different Ages, to the total Male and to the total Female Deaths respectively, per cent.	19·775	17·44	13·78	13·05	12·66	12·35	5·900	5·567	2·294	2·504	3·170	3·318	8·011	8·435	8·300	8·343	8·001	7·636	5·927	6·148	6·079	6·400	2·560	3·546	1·665	2·286	1·238	1·865	0·399	0·712	0·142	0·290	0·050	0·082
Proportion of Males and of Females Living, at the same Ages, to the total Male and to the total Female Population respectively, per cent.	3·142	2·810	2·842	2·538	7·692	6·849	11·152	10·314	10·022	10·108	10·48	11·769	21·69	22·78	14·47	14·394	9·23	8·901	4·592	4·889	2·578	3·101	0·701	0·854	0·280	0·341	0·155	0·253	0·040	0·057	0·010	0·022	0·006	0·005
Comparative Excess of Deaths by these Proportions	16·633	14·63	10·94	10·52	4·97	5·51	.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1·335	1·259	4·501	3·299	1·859	2·692	1·385	1·945	1·083	1·612	0·359	0·655	0·132	0·268	0·044	0·077
Comparative Excess of the Living by these Proportions	. .	. .	. .	. .	. .	. .	5·252	4·747	8·628	7·604	7·31	8·451	13·58	14·35	6·17	6·051	1·231	1·265	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
Average Annual amount of Male and Female Deaths, inclusive, these five years	1582½		1130½		1062		486		203⅔		275⅔		697⅔		706⅓		664		512½		529½		258		167		131		46⅔		18⅓		5⅔	
Amount of Living at these Ages, in 1841	8363		7571		20,453		30,234		29,621		31,468		62,782		40,709		25,544		13,409		8,044		2,210		881		586		141		48		16	
Per-cent. of Male and Female Deaths to the Living at these Ages	18·907		15·054		5·192		1·607		0·686		0·875		1·110		1·731		2·599		3·819		6·578		11·674		18·955		22·354		33·191		37·916		35·000	

TABLE THIRTY-NINTH.

Glasgow, during the years 1837, 1838, 1839, 1840, and 1841, classified according to Eighteen Periods of Life at which they took place; with Calculations showing the Total Average Annual number of Deaths
he several Diseases, bear to the Total Average Annual number of Deaths, and also to the Mean Population of these years; together with the Proportion of Deaths to the Living at the different Ages.

Mean Population of these Five Years, 264,010

AGES.																								TOTAL.		Grand Total Deaths these Five Years.	Average Annual Deaths during these Five Years.	PROPORTIONS.		DISEASES.
20 and under 30		30 and under 40		40 and under 50		50 and under 60		60 and under 70		70 and under 75		75 and under 80		80 and under 85		85 and under 90		90 and under 95		95 and under 100		100 and Upwards.						1st.—To the whole Average Annual Deaths during these Years.	2d.—To the Mean Population.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			Per cent.	Per cent.	
147	30	104	31	109	25	49	30	28	18	11	15	2	4	2	3	..	2	..	1	..	..	..	..	671	276	917	189⅔	2·231	0·071	Accidents
..	..	..	..	..	..	..	..	546	702	378	545	265	389	235	338	78	130	27	51	10	16	5	6	1,544	2,180	3,724	744⅘	8·775	0·282	Aged
18	31	43	53	76	112	133	105	145	137	37	35	20	11	6	10	1	2	..	..	..	..	..	..	500	518	1,018	203⅗	2·339	0·077	Asthma
22	23	20	33	21	30	45	31	31	34	10	9	2	3	1	4	..	..	..	..	..	..	..	..	2,670	2,219	4,889	977⅘	11·521	0·370	Bowel Complaints
12	25	22	32	22	25	22	49	23	35	5	18	8	5	1	2	1	..	..	..	..	..	..	..	217	274	491	98⅕	1·157	0·037	Catarrh
..	173	..	187	..	48	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	421	421	84⅕	0·992	0·031	Child-birth
2	2	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	443	383	826	165⅕	1·946	0·062	Croup
592	573	474	505	400	406	302	379	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3,471	3,443	6,917	1383⅔	16·300	0·523	Decline
50	65	57	90	79	122	86	102	89	100	23	30	11	18	4	7	3	1	1	..	..	1	..	..	644	673	1,317	263⅖	3·103	0·099	Dropsy
579	479	708	476	619	456	314	259	131	92	22	19	4	5	4	2	..	1	..	2	..	..	..	..	3,212	2,669	5,881	1176⅕	13·861	0·445	Fever
45	28	89	39	78	43	81	46	90	45	27	22	23	15	9	6	1	1	..	2	1	..	..	..	1,931	952	2,283	456⅗	5·380	0·172	Head, of
17	10	21	12	24	16	26	15	15	11	4	4	2	..	1	..	..	..	..	..	..	..	..	..	158	107	265	53	0·624	0·020	Heart, of
1	1	2	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1,099	1,084	2,183	436⅗	5·144	0·165	Hooping-Cough
111	146	113	118	133	99	77	79	86	43	7	6	3	5	..	2	..	..	..	..	..	..	..	..	1,324	1,124	2,448	489⅗	. . .	0·185	Inflammation
1	7	2	2	2	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1,334	1,281	2,619	523⅘	6·171	0·198	Measles
4	12	5	6	11	9	8	11	5	10	1	1	..	..	..	..	..	..	..	..	..	..	..	..	132	144	276	55⅕	0·650	0·020	Nervous
6	4	3	5	1	4	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	649	625	1,274	254⅘	3·002	0·090	Scarlet Fever
43	25	10	10	2	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	989	917	1,906	381⅕	4·491	0·144	Small-Pox
55	64	74	81	103	118	98	120	97	74	18	16	15	9	2	2	..	1	2	..	..	..	..	..	712	706	1,418	283⅗	3·341	0·107	Miscellaneous
1705	1698	1747	1680	1680	1518	1245	1229	1287	1301	543	720	358	467	265	376	84	138	30	59	11	17	5	6	21,104	19,999	41,103	8220⅗	96·863	3·113	Ascertained
41	43	62	42	64	58	47	40	38	20	15	12	5	5	5	9	3	9	1	1	..	..	..	..	601	640	1,331	266⅕	3·136	0·100	Not ascertained
1746	1741	1809	1722	1744	1576	1292	1269	1325	1321	558	732	363	472	270	385	87	147	31	60	11	17	5	6	21,705	20,639	42,434	8486⅘	100·000	3·214	Total
8·011	8·435	8·300	8·343	8·001	7·636	5·927	6·148	6·079	6·400	2·560	3·546	1·665	2·286	1·238	1·865	0·399	0·712	0·142	0·290	0·050	0·082	0·022	0·029	100·00	100·00	Per-cent. Propor. of Male and of Female Deaths at the different Ages, to total Male and total Female Deaths respectively.				
21·69	22·78	14·47	14·394	9·23	8·901	4·592	4·889	2·578	3·101	0·701	0·854	0·280	0·341	0·155	0·253	0·040	0·057	0·010	0·022	0·006	0·005	0·0007	0·0006	100·00	100·00	Per-centage of Males and of Females Living, at the same Ages, to the total Males, and to the total Female Population respectively.				
..	..	..	..	..	..	1·335	1·259	4·501	3·299	1·859	2·692	1·385	1·945	1·083	1·612	0·359	0·655	0·132	0·268	0·044	0·077	0·021	0·028	..	..	Comparative excess of Deaths by these Proportions.				
13·58	14·35	6·17	6·051	1·231	1·265	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	Comparative excess of the Living by these Proportions.				
697⅔		706⅕		664		512⅕		529⅕		258		167		131		46⅘		18⅕		5⅗		2⅕		8486⅘		Average Annual amount of Male and Female Deaths, inclusive, during these Five Years.				
62,782		40,709		25,544		13,469		8,044		2,210		881		586		141		48		16		2		282,087		Amount of Living, at these Ages, in 1841.				
1·110		1·734		2·599		3·819		6·578		11·674		18·955		22·351		33·191		37·916		35·000		110·000		3·008		Per-cent. of Male and Female Deaths to the Living at these Ages.				