



I. 體 性 及 年 8. 花 遊

Table with columns for age group (年齢), sex (性別), total patients (患者), and specific diseases like malaria (マラリア) and tuberculosis (肺結核).

Table with columns for age group (年齢), sex (性別), and various diseases under the category 'Neurological and Sensory Diseases' (神経系及感覚器の疾患).

齡 別 疾 病.....級 港 廳 (不健康地)

Table with columns for age group (年齢), sex (性別), and various diseases including cholera (花柳病), typhoid (脚氣), and others.

Table with columns for age group (年齢), sex (性別), and various diseases under the category 'Respiratory Diseases' (呼吸器の疾患).

I. 體 性 及 年 湖  
9. 澎

Table with columns for age (年齢), inspection personnel (検査人員), total patients (總患者), and various diseases (流行病、地方病). Includes sub-columns for total count and gender (男/女).

Table with columns for age (年齢) and various types of diseases (全身病, 貧血, 甲状腺腫, etc.). Includes sub-columns for total count and gender (男/女).

齡 別 疾 病.....續  
應 (不健康地)

Table with columns for disease categories (病及傳染病, 全身病) and sub-categories like tuberculosis (肺結核), malaria (瘧疾), etc. Includes sub-columns for total count and gender (男/女).

Table with columns for disease categories (神經系及感覺器の疾患) and sub-categories like spinal diseases (脊髄病), mental diseases (精神病), etc. Includes sub-columns for total count and gender (男/女).







II. 體性及年齡別

1. 全

Table with columns for age (年齢), examination personnel (検査人員), non-egg carriers (非保卵者), and parasites (保). Includes sub-columns for total count (總數), intestinal parasites (十二指腸蟲), nematodes (蛔蟲), and whipworms (鞭蟲).

全

Table with columns for age (年齢), examination personnel (検査人員), non-egg carriers (非保卵者), and parasites (保). Includes sub-columns for total count (總數), intestinal parasites (十二指腸蟲), nematodes (蛔蟲), and whipworms (鞭蟲).

寄生蟲保卵者

島

Table with columns for parasites (寄生蟲) and egg carriers (保卵者). Includes sub-columns for various parasite types like 東洋毛線蟲, 蟻蟲, 縲蟲, 肺デストマ, 肝デストマ, メタゴニムス, ストロングロイデス, 吸蟲類, エキノストマ, and 其他 (Others).

島 (健康地)

Table with columns for parasites (寄生蟲) and egg carriers (保卵者). Includes sub-columns for various parasite types like 東洋毛線蟲, 蟻蟲, 縲蟲, 肺デストマ, 肝デストマ, メタゴニムス, ストロングロイデス, 吸蟲類, エキノストマ, and 其他 (Others).

II. 體性及年齡別

1. 臺

Table with columns for age (年齢), examination personnel (検査人員), non-ovipositor (非保卵者), total count (總數), and parasites (蛔蟲, 十二指腸蟲). Rows include total counts and age groups from 0 to 95.

2. 臺北

Table with columns for age (年齢), examination personnel (検査人員), non-ovipositor (非保卵者), total count (總數), and parasites (蛔蟲, 十二指腸蟲). Rows include total counts and age groups from 0 to 95.

寄生蟲保卵者.....續

島 (不健康地)

Table showing parasite counts for various species (鞭蟲, 東洋毛線蟲, 蟯蟲, 糞蟲, 肺デストマ, 肝デストマ, メタゴニムス, ストロングロイデス, 其他) across different age groups.

州

Table showing parasite counts for various species (鞭蟲, 東洋毛線蟲, 蟯蟲, 糞蟲, 肺デストマ, メタゴニムス, ストロングロイデス, 吸蟲類, 其他) across different age groups.

II. 體性及年齡別  
2. 臺 北

Table with columns for age (年齢), examination personnel (検査人員), non-ovipositors (非保卵者), total count (總數), and intestinal parasites (十二指腸蟲). Rows include total counts and age groups from 0-4 to 95+.

臺 北

Table with columns for age (年齢), examination personnel (検査人員), non-ovipositors (非保卵者), total count (總數), intestinal parasites (十二指腸蟲), and nematodes (蛔). Rows include total counts and age groups from 0-4 to 95+.

寄生蟲保卵者.....續  
州 (健康地)

Table showing parasite counts for healthy individuals in Taipei. Columns include nematodes (蛔蟲), whipworms (鞭蟲), oriental whipworms (東洋毛線蟲), trematodes (蟯蟲), cestodes (絛蟲), Strongyloides (ストロンギロイデス), and other parasites (吸蟲類). Rows list counts for males and females.

州 (不健康地)

Table showing parasite counts for unhealthy individuals in Taipei. Columns include nematodes (蛔), whipworms (鞭蟲), oriental whipworms (東洋毛線蟲), trematodes (蟯蟲), lung parasites (肺ダストマ), Metagonimus (メダゴニムス), Strongyloides (ストロンギロイデス), and other parasites (其の他). Rows list counts for males and females.



II. 體性及年齡別

3. 新竹

Table with columns for age (年齢), examination personnel (検査人員), non-ovipositor (非保卵者), total count (總數), duodenal parasites (十二指腸蟲), and nematodes (蛔). Rows include total counts and age groups from 0-4 to 95+.

新竹

Table with columns for age (年齢), examination personnel (検査人員), non-ovipositor (非保卵者), total count (總數), duodenal parasites (十二指腸蟲), and nematodes (蛔). Rows include total counts and age groups from 0-4 to 95+.

寄生蟲保卵者.....續

州

Table showing parasite counts for various species (蛔蟲, 鞭蟲, 東洋毛線蟲, 蟯蟲, 絲蟲, 肺デストマ, 肝デストマ, ストロングロイデス) across different age groups.

州 (健康地)

Table showing parasite counts for various species (蛔蟲, 鞭蟲, 東洋毛線蟲, 蟯蟲, 肺デストマ, 肝デストマ, ストロングロイデス) across different age groups.

II. 體性及年齡別

3. 新 竹

年 齡 (歲)	檢 查 人 員			非 保 卵 者			總 數			十二指腸蟲		蛔
	總數	男	女	總數	男	女	總數	男	女	男	女	男
										男	女	
總 數	9,317	4,501	4,816	1,325	724	601	12,985	6,055	6,930	638	701	3,563
0	270	134	136	106	53	53	241	119	122	12	11	79
0-1	320	152	168	42	23	19	402	179	223	10	22	116
0-2	302	148	154	31	17	14	394	187	207	9	11	131
0-3	254	138	116	27	14	13	360	199	161	10	13	134
0-4	290	158	132	33	17	16	408	224	184	19	10	136
5-9	1,278	614	664	153	82	71	1,861	870	991	56	92	516
10-14	1,169	578	591	123	53	70	1,753	866	887	76	89	499
15-19	911	409	502	121	62	59	1,281	551	730	64	77	326
20-24	779	371	408	118	71	47	1,062	481	581	69	71	280
25-29	652	325	327	92	50	42	888	439	449	62	49	254
30-34	567	285	282	91	53	38	774	364	410	52	44	215
35-39	493	250	243	89	52	37	650	305	345	37	36	175
40-44	490	232	258	63	36	27	712	318	394	38	36	184
45-49	437	214	223	77	50	27	617	291	326	34	40	152
50-54	371	178	193	42	27	15	558	252	306	36	32	141
55-59	266	108	158	46	23	23	358	134	224	17	24	73
60-64	197	87	110	24	14	10	284	116	168	15	17	65
65-69	132	55	77	23	12	11	181	73	108	7	12	39
70-74	76	34	42	13	8	5	107	42	65	6	9	24
75-79	47	22	25	8	4	4	72	35	37	5	4	18
80-84	14	9	5	3	3	...	18	10	8	4	1	6
85-89	2	...	2	...	...	...	4	...	4	...	1	...
90-94	...	...	...	...	...	...	...	...	...	...	...	...
95-	...	...	...	...	...	...	...	...	...	...	...	...

4. 臺 中

年 齡 (歲)	檢 查 人 員			非 保 卵 者			總 數			十二指腸蟲		蛔 蟲		鞭 蟲	
	總數	男	女	總數	男	女	總數	男	女	男	女	男	女	男	女
										男	女				
總 數	40,744	20,655	20,089	1,750	944	806	92,661	47,232	45,429	8,976	7,572	18,388	18,511	19,322	18,954
0	1,404	730	674	1,001	517	484	833	430	403	42	43	194	184	194	174
0-1	1,494	746	748	223	110	113	2,701	1,340	1,361	121	135	598	607	609	611
0-2	1,353	669	684	41	18	23	2,373	1,411	1,462	154	168	618	644	633	642
0-3	1,280	647	633	29	19	10	2,813	1,410	1,403	180	180	606	601	619	611
0-4	1,241	635	606	19	14	5	2,759	1,399	1,360	186	180	599	581	602	587
5-9	5,388	2,688	2,700	41	26	15	12,542	6,240	6,302	985	974	2,592	2,616	2,616	2,653
10-14	4,857	2,459	2,398	32	16	16	11,732	6,012	5,720	1,212	1,009	2,360	2,319	2,393	2,354
15-19	4,211	2,209	2,002	36	20	16	10,346	5,474	4,872	1,224	966	2,042	1,898	2,158	1,964
20-24	3,739	1,892	1,847	46	29	17	8,970	4,580	4,390	976	826	1,721	1,737	1,840	1,792
25-29	3,064	1,644	1,420	37	27	10	7,271	3,949	3,322	813	546	1,496	1,345	1,581	1,397
30-34	2,574	1,346	1,228	41	24	17	6,057	3,199	2,858	655	473	1,193	1,166	1,300	1,193
35-39	2,312	1,218	1,094	48	32	16	5,447	2,889	2,558	585	442	1,083	1,041	1,163	1,059
40-44	2,034	1,083	951	37	22	15	4,820	2,591	2,229	551	410	948	886	1,045	917
45-49	1,884	957	927	29	16	13	4,512	2,315	2,197	498	401	863	870	921	902
50-54	1,513	723	790	30	17	13	3,521	1,694	1,827	350	319	619	727	692	765
55-59	1,069	485	584	23	17	6	2,497	1,131	1,366	222	230	422	552	461	567
60-64	581	266	315	16	13	3	1,305	586	719	113	108	219	298	247	305
65-69	387	150	237	9	3	6	865	342	523	65	73	128	217	144	225
70-74	234	77	157	7	3	4	522	170	352	31	56	63	141	74	149
75-79	82	22	60	4	1	3	184	50	134	9	21	18	53	21	57
80-84	33	7	26	1	...	1	68	15	53	4	9	4	21	7	22
85-89	9	2	7	...	...	...	20	5	15	...	2	2	6	2	7
90-94	1	...	1	...	...	...	3	...	3	...	1	...	1	...	1
95-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

寄生蟲保卵者.....續

州 (不健康地)

保 卵 者	保 卵 者													
	鞭 蟲		東洋毛線蟲		蟻 蟲		雜 蟲		肺デストマ		肝デストマ	ストロンギロイデス		
	男	女	男	女	男	女	男	女	男	女	女	男	女	
總 數	4,059	1,576	1,855	185	193	69	89	1	2	15	13	3	8	15
0	82	28	25	...	2	...	2	...	...	...	...	...	...	...
0-1	140	47	53	3	5	2	2	...	...	...	...	...	1	1
0-2	135	43	55	3	4	1	1	...	1	...	...	...	...	...
0-3	99	49	38	4	8	...	2	1	...	1	...	...	1	...
0-4	115	60	56	7	1	2	2	...	...	...	...	...	...	...
5-9	577	275	283	16	26	7	10	...	...	...	...	...	...	3
10-14	506	253	254	24	21	13	15	...	...	...	...	...	1	2
15-19	427	132	196	18	16	9	11	...	1	1	...	1	1	2
20-24	346	104	141	16	13	8	8	...	3	1	...	1	1	1
25-29	272	99	115	16	6	7	1	...	1	2	...	1	3	3
30-34	233	82	112	10	12	3	6	...	2	2	...	...	1	1
35-39	199	76	87	12	12	2	9	...	3	2	...	...	...	...
40-44	219	73	110	18	18	4	8	...	...	1	2	...	1	...
45-49	188	85	83	12	10	5	3	...	2	1	...	...	1	1
50-54	170	62	83	12	15	...	4	...	1	1	...	1	...	...
55-59	132	34	57	7	8	2	3	...	1	...	...	...	...	...
60-64	94	31	48	4	6	1	2	...	...	1	...	...	...	...
65-69	64	22	29	2	3	2	...	...	1	...	...	...	...	...
70-74	33	12	19	...	4	...	...	...	...	...	...	...	...	...
75-79	21	9	8	1	3	1	...	...	1	...	...	...	...	1
80-84	5	...	2	...	...	...	...	...	...	...	...	...	...	...
85-89	2	...	1	...	...	...	...	...	...	...	...	...	...	...
90-94	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95-	...	...	...	...	...	...	...	...	...	...	...	...	...	...

州

保 卵 者	保 卵 者																	
	東洋毛線蟲		蟻 蟲		雜 蟲		肺デストマ		肝デストマ		横川メタゴニムス		ストロンギロイデス		エキノストーマ		其の他	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	女	男	女	
總 數	4	2	38	39	122	104	9	4	239	107	96	108	24	22	3	14	3	
0	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
0-1	...	...	3	...	4	3	1	...	1	2	3	1	...	...	...	...	1	...
0-2	...	...	...	...	3	2	...	...	1	2	2	4	...	...	...	...	...	...
0-3	...	...	1	...	1	3	...	...	1	4	2	3	...	1	...	...	...	...
0-4	...	...	3	3	3	2	...	...	1	2	4	4	1	1	...	...	...	...
5-9	...	...	7	9	12	21	1	1	13	13	9	12	3	2	1	2	...	...
10-14	...	...	3	2	14	14	1	2	13	7	11	11	5	2	...	...	...	...
15-19	2	1	4	5	20	10	...	1	12	14	9	10	2	3	...	1	...	...























III. 體性及年齡別トラホーム患者.....續

3. 新竹州

Table with columns for age (年齢), inspectors (検査人員), patients (トラホーム患者), and percentage of patients among inspectors (検査人員百中トラホーム患者) for新竹州. Rows include total counts and age groups from 0-4 to 95+.

4. 臺中州

Table with columns for age (年齢), inspectors (検査人員), patients (トラホーム患者), and percentage of patients among inspectors (検査人員百中トラホーム患者) for臺中州. Rows include total counts and age groups from 0-4 to 95+.

III. 體性及年齡別トラホーム患者.....續

5. 臺南州

Table with columns for age (年齢), inspectors (検査人員), patients (トラホーム患者), and percentage of patients among inspectors (検査人員百中トラホーム患者) for臺南州. Rows include total counts and age groups from 0-4 to 95+.

6. 高雄州

Table with columns for age (年齢), inspectors (検査人員), patients (トラホーム患者), and percentage of patients among inspectors (検査人員百中トラホーム患者) for高雄州. Rows include total counts and age groups from 0-4 to 95+.